Application for Permit to Modify (APM)

General Information Approval Dt 31-MAY-2018 Approval	Type Development
Amount: \$125.00 Tracking ID: EWL-APM-198720 Trackin General Information API 043122004900 Approval Dt 31-MAY-2018 Approv Submitted Dt15-MAY-2018 Well Status Completed Water Surface Lease P00300 Area LB Block Approval Comments Conditions of Approval: 1) All operations must be conducted in accordance with the OCS Lands terms and stipulations, the regulations of 30 CFR Part 250, Notices t 0perators (NTLS), the approved (revised) Application for Permit to Mo any written instructions or orders of the District Manager. 2) A copy of this permit (including all attachments) must be kept on available to inspectors upon request during the permitted operation. 3) All pressure containing equipment must be tested at a mini observed pressure. The appropriate District must be immediately noti change and a RPM submitted to document the change. 4) Notify the Permitting Section at Least 24 hours in advance of begi operations AND of any required BOP tests. 5) WAR reports are due no later than noon each Wednesday. Correction Narrative Permit Primary Type Workover Permit Subtype(s) Describe Operation(S) Operation Description Install 7" liner. Return well to production. Procedural Narrative The A-32 has a hole in the casing at ~1500'. It is a no flow well. installed to isolate the hole and the well will be returned to produc pump. Subsurface Safety Valve Type Installed N/A Feet below Mudline	ny, LLC
General Information APT 043122004900 Approval Dt 31-MAY-2018 Approv Submitted Dt15-MAY-2018 Well Status Completed Water Surface Lease P00300 Area LB Block Approval Comments Conditions of Approval: 1) All operations must be conducted in accordance with the OCS Lands terms and stipulations, the regulations of 30 CFR Part 250, Notices t Operators (NTLs), the approved (revised) Application for Permit to Mo any written instructions or orders of the District Manager. 2) A copy of this permit (including all attachments) must be kept on available to inspectors upon request during the permitted operation. 3) All pressure containing equipment must be tested to the approand recorded on the daily operations report. If well pressures exceed in the approved permit, the equipment in use must be tested at a mini observed pressure. The appropriate District must be immediately noti change and a RPM submitted to document the change. 4) Notify the Permitting Section at Least 24 hours in advance of begi operations AND of any required BOP tests. 5) WAR reports are due no later than noon each Wednesday. Correction Narrative Permit Primary Type Workover Permit Numeration Procedural Narrative The A-32 has a hole in the casing at ~1500'. It is a no flow well. install 7' liner. Return well to production. Procedural Narrative The A-32 has a hole	
API 043122004900 Approval Dt 31-MAY-2018 Approv Submitted Dt15-MAY-2018 Well Status Completed Water Surface Lease P00300 Area LB Block Approval Comments Conditions of Approval: 1) All operations must be conducted in accordance with the OCS Lands terms and stipulations, the regulations of 30 CFR Part 250, Notices t Operators (NTLS), the approved (revised) Application for Permit to Mo any written instructions or orders of the District Manager. 2) A copy of this permit (including all attachments) must be kept on available to inspectors upon request during the permitted operation. 3) All pressure containing equipment must be tested to the appro- and recorded on the daily operations report. If well pressures exceed in the approved permit, the equipment in use must be tested at a mini observed pressure. The appropriate District must be immediately noti- change and a RPM submitted to document the change. 4) Notify the Permitting Section at Least 24 hours in advance of begi operations AND of any required BOP tests. 5) WAR reports are due no later than noon each Wednesday. Correction Narrative Permit Subtype(s) Describe Operation(S) Operation Description Install 7" liner. Return well to production. Procedural Narrative The A-32 has a hole in the casing at ~1500'. It is a no flow well. installed to isolate the hole and the well will be returned to produc pump. Subsurface Safety Valve Type Installed N/A Feet below Mudline	g ID: 269MVIVG
Submitted Dt15-MAY-2018 Well Status Completed Water Surface Lease P00300 Area LB Block Approval Comments Conditions of Approval: 1) All operations must be conducted in accordance with the OCS Lands terms and stipulations, the regulations of 30 CFR Part 250, Notices to Operators (NTLs), the approved (revised) Application for Permit to Mo any written instructions or orders of the District Manager. 2) A copy of this permit (including all attachments) must be kept on available to inspectors upon request during the permitted operation. 3) All pressure containing equipment must be tested to the approand recorded on the daily operations report. If well pressures exceed in the approved permit, the equipment in use must be tested at a mini observed pressure. The appropriate District must be immediately noti change and a RPM submitted to document the change. 4) Notify the Permitting Section at Least 24 hours in advance of begi operations AND of any required BOP tests. 5) WAR reports are due no later than noon each Wednesday. Correction Narrative Permit Subtype(s) Describe Operation(S) Operation Description Install 7" liner. Return well to production. Procedural Narrative The A-32 has a hole in the casing at ~1500'. It is a no flow well. Installed to isolate the hole and the well will be returned to productor pump. Subsurface Safety Va	
Surface Lease P00300 Area LB Block Approval Comments Conditions of Approval: 1) All operations must be conducted in accordance with the OCS Lands terms and stipulations, the regulations of 30 CFR Part 250, Notices t Operators (NTLs), the approved (revised) Application for Permit to Mo any written instructions or orders of the District Manager. 2) A copy of this permit (including all attachments) must be kept on available to inspectors upon request during the permitted operation. 3) All pressure containing equipment must be tested to the appro and recorded on the daily operations report. If well pressures exceed in the approved permit, the equipment in use must be tested at a mini observed pressure. The appropriate District must be immediately noti change and a RPM submitted to document the change. 4) Notify the Permitting Section at Least 24 hours in advance of begi operations AND of any required BOP tests. 5) WAR reports are due no later than noon each Wednesday. Correction Narrative Permit Subtype(s) Describe Operation(S) Operation Description Install 7" liner. Return well to production. Procedural Narrative The A-32 has a hole in the casing at ~1500'. It is a no flow well. installed to isolate the hole and the well will be returned to produc pump. Subsurface Safety Valve Type Installed N/A Feet below Mudline	ved By John Kaiser
Approval Comments Conditions of Approval: 1) All operations must be conducted in accordance with the OCS Lands terms and stipulations, the regulations of 30 CFR Part 250, Notices t Operators (NTLs), the approved (revised) Application for Permit to Mo any written instructions or orders of the District Manager. 2) A copy of this permit (including all attachments) must be kept on available to inspectors upon request during the permitted operation. 3) All pressure containing equipment must be tested to the appro and recorded on the daily operations report. If well pressures exceed in the approved permit, the equipment in use must be tested at a mini observed pressure. The appropriate District must be immediately noti change and a RPM submitted to document the change. 4) Notify the Permitting Section at Least 24 hours in advance of begi operations AND of any required BOP tests. 5) WAR reports are due no later than noon each Wednesday. Correction Narrative Permit Primary Type Workover Permit Subtype(s) Describe Operation(S) Operation Description Install 7" liner. Return well to production. Procedural Narrative The A-32 has a hole in the casing at ~1500'. It is a no flow well. installed to isolate the hole and the well will be returned to produc pump. Subsurface Safety Valve Type Installed N/A Feet below Mudline	Depth 265
Conditions of Approval: 1) All operations must be conducted in accordance with the OCS Lands terms and stipulations, the regulations of 30 CFR Part 250, Notices t Operators (NTLs), the approved (revised) Application for Permit to Mo any written instructions or orders of the District Manager. 2) A copy of this permit (including all attachments) must be kept on available to inspectors upon request during the permitted operation. 3) All pressure containing equipment must be tested to the approv- and recorded on the daily operations report. If well pressures exceed in the approved permit, the equipment in use must be tested at a mini- observed pressure. The appropriate District must be immediately noti- change and a RPM submitted to document the change. 4) Notify the Permitting Section at Least 24 hours in advance of begi- operations AND of any required BOP tests. 5) WAR reports are due no later than noon each Wednesday. Correction Narrative Permit Primary Type Workover Permit Subtype(s) Describe Operation(S) Operation Description Install 7" liner. Return well to production. Procedural Narrative The A-32 has a hole in the casing at ~1500'. It is a no flow well. installed to isolate the hole and the well will be returned to produc pump. Subsurface Safety Valve Type Installed N/A Feet below Mudline	6438
<pre>1) All operations must be conducted in accordance with the OCS Lands terms and stipulations, the regulations of 30 CFR Part 250, Notices t Operators (NTLS), the approved (revised) Application for Permit to Mo any written instructions or orders of the District Manager. 2) A copy of this permit (including all attachments) must be kept on available to inspectors upon request during the permitted operation. 3) All pressure containing equipment must be tested to the approv and recorded on the daily operations report. If well pressures exceed in the approved permit, the equipment in use must be tested at a mini observed pressure. The appropriate District must be immediately noti change and a RPM submitted to document the change. 4) Notify the Permitting Section at Least 24 hours in advance of begi operations AND of any required BOP tests. 5) WAR reports are due no later than noon each Wednesday. Correction Narrative Permit Subtype(s) Describe Operation(S) Operation Description Install 7" liner. Return well to production. Procedural Narrative The A-32 has a hole in the casing at ~1500'. It is a no flow well. installed to isolate the hole and the well will be returned to produc pump. Subsurface Safety Valve Type Installed N/A Feet below Mudline</pre>	
Permit Primary Type Workover Permit Subtype(s) Describe Operation(S) Operation Description Install 7" liner. Return well to production. Procedural Narrative The A-32 has a hole in the casing at ~1500'. It is a no flow well. installed to isolate the hole and the well will be returned to produc pump. Subsurface Safety Valve Type Installed N/A Feet below Mudline	ved permitted pressure the SITP/MASP stated mum to the new fied of this pressure
Describe Operation(S) Operation Description Install 7" liner. Return well to production. Procedural Narrative The A-32 has a hole in the casing at ~1500'. It is a no flow well. installed to isolate the hole and the well will be returned to produc pump. Subsurface Safety Valve Type Installed N/A Feet below Mudline	
Operation Description Install 7" liner. Return well to production. Procedural Narrative The A-32 has a hole in the casing at ~1500'. It is a no flow well. installed to isolate the hole and the well will be returned to produc pump. Subsurface Safety Valve Type Installed N/A Feet below Mudline	
Install 7" liner. Return well to production. Procedural Narrative The A-32 has a hole in the casing at ~1500'. It is a no flow well. installed to isolate the hole and the well will be returned to produc pump. Subsurface Safety Valve Type Installed N/A Feet below Mudline	
Procedural Narrative The A-32 has a hole in the casing at ~1500'. It is a no flow well. installed to isolate the hole and the well will be returned to produc pump. Subsurface Safety Valve Type Installed N/A Feet below Mudline	
The A-32 has a hole in the casing at ~1500'. It is a no flow well. installed to isolate the hole and the well will be returned to produc pump. Subsurface Safety Valve Type Installed N/A Feet below Mudline	
Type Installed N/A Feet below Mudline	
Feet below Mudline	
Maximum Anticipated Suriace Pressure (psi) U	
-	
Shut-In Tubing Pressure (psi) 0	
Rig Information	aa
Name Id Type ABS Date BETA RIG #1 36007 PLATFORM 01-JAN-20	Coast Guard Date 14 01-JAN-2014

Application for Permit to Modify (APM)

Lease P	000300 Area LB Block 6438 Wel	1 Name A0	32 ST 00	BP 00 Typ	pe Development		
Applica	ation Status Approved Operato	or 03126 Be	ta Operating	Company, I	LLC		
Blowou Prever Rams	nter Size Workin 2x5 5000	ng Pressur		Pressure - High 2350			
Annula	ar 5000		250	2350			
Date Co	mmencing Work (mm/dd/yyyy) 16-JUN-	2018					
	ted duration of the operation (days						
Verbal Approval Information							
/CLDUI	Official	Date (mm/	dd/vvvv)				
)uesti							
	Question	Response	Response Tex	t			
1	Is H2S present in the well? If yes, then comment on the inclusion of a Contingency Plan for this operation.	NO					
2	Is this proposed operation the only lease holding activity for the subject lease? If yes, then comment.	NO					
3	Will all wells in the well bay and related production equipment be shut-in when moving on to or off of an offshore platform, or from well to well on the platform? If not, please explain.	N/A					
4	Are you downhole commingling two or more reservoirs?	NO					
5	Will the completed interval be within 500 feet of a lease or unit boundary line? If yes, then comment.	NO					
6	For permanent abandonment, will casings be cut 15 feet below the mudline? If no, then comment.	N/A					
7	Will the proposed operation be covered by an EPA Discharge Permit? (Please provide permit number in comments for this question)	N/A					
		TACHMENT	S				
Tile Ty							
odf	Well Test Information						
odf	Proposed Wellbore Schematic						
odf odf	Current Wellbore Schematic						
odf	A-32 Program						
odf	A-32 Deviation Sur	vey					

31-MAY-2018 12:20:31 PM

Application for Permit to Modify (APM)

Lease P00300 Area	LB Block 6438 Well Name A032 ST 00 BP 00 Type Development					
Application Status A	pproved Operator 03126 Beta Operating Company, LLC					
pdf	Ellen BOP Part 1 of 4					
pdf	Ellen BOP Part 2 of 4					
pdf	Ellen BOP Part 3 of 4					
pdf	Ellen BOP Part 4 of 4					
pdf	Ellen BOP Stack					
CONTACTS						
Name	Brent Chalmers					
Company	Beta Operating Company, LLC					
Phone Number	832-374-7205					
E-mail Address	brent.chalmers@memorialpp.com					
Contact Description	Ops Engineer					

CERTIFICATION: I certify that information submitted is complete and accurate to the best of my knowledge. I understand that making a false statement may subject me to ci

Name and Title

Date

Brent Chalmers, Well Services Supervisor

30-MAY-2018

PAPERWORK REDUCTION ACT OF 1995 (PRA) STATEMENT: The PRA (44 U.S.C. 3501 et seq. Requires us to inform you that we collect this information to obtain knowledge of equipment and procedures to be used in drilling operations. MMS uses the information to evaluate and approve or disapprove the adequacy of the equipment and/or procedures to safely perform the proposed drilling operation. Responses are mandatory (43 U.S.C. 1334). Proprietary data are covered under 30 CFR 250.196. An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB Control Number. Public reporting burden for this form is estimated to average 11/4 hours per response, including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding the burden estimate or any other aspect of this form to the Information Collection Clearance Officer, Mail Stop 4230, Minerals Management Service, 1849 C Street, N.W., Washington, DC 20240.