Application for Permit to Modify (APM)

Lease P00301 Area	LB Block 6	438 Well Name A030	ST 00 BP 00 Ty	'pe Development
Application Status A	pproved	Operator 03126 Beta	Operating Company,	LLC
Pay.gov		Agency	Pay.gov	
Amount: \$125.00		Tracking ID: EWL-APM-2	01779 Tracking ID	• 26DCTB7P
General Informati	on			
API 043122004800	Ap	proval Dt 28-NOV-2018	Approved	By John Kaiser
Submitted Dt 08-NOV-2	018 We	ll Status Completed	Water Dep	th 265
Surface Lease P00300		ea LB	Block	6438
Approval Comments				0100
 Conditions of Approv	al:			
		cted in accordance with	n the OCS Lands Act	(OCSLA), the lease
		alations of 30 CFR Part		
		(revised) Application		(APM/RPM), and
		ers of the District Mar		tion and made
		ling all attachments) r quest during the permit		
		pment must be tested to		tted pressure and
		s report. If well press		
the approved permit.	the equipme	ent in use must be test	ted at a minimum to	the new observed
approved permite,				_
pressure. The approp		lct must be immediately	y notified of this p	ressure change and
pressure. The approp a RPM submitted to d	ocument the	change.		
pressure. The approp a RPM submitted to d 4) Notify the Permit	ocument the ting Sectior	change. n at Least 24 hours in		
pressure. The approp a RPM submitted to d 4) Notify the Permit operations AND of an	ocument the ting Sectior y required B	change. h at Least 24 hours in 30P tests.	advance of beginnin	
pressure. The approp a RPM submitted to d 4) Notify the Permit operations AND of an	ocument the ting Sectior y required E ue no later	change. n at Least 24 hours in	advance of beginnin	
pressure. The approp a RPM submitted to d 4) Notify the Permit operations AND of an 5) WAR reports are d	ocument the ting Sectior y required E ue no later	change. h at Least 24 hours in 30P tests.	advance of beginnin	
pressure. The approp a RPM submitted to d 4) Notify the Permit operations AND of an 5) WAR reports are d Correction Narrative	ocument the ting Sectior y required E ue no later	change. h at Least 24 hours in 30P tests.	advance of beginnin	
pressure. The approp a RPM submitted to d 4) Notify the Permit operations AND of an 5) WAR reports are d Correction Narrative Permit Primary Type	ocument the ting Sectior y required E ue no later	change. h at Least 24 hours in 30P tests.	advance of beginnin	
pressure. The approp a RPM submitted to d 4) Notify the Permit operations AND of an 5) WAR reports are d Correction Narrative Permit Primary Type	ocument the ting Sectior y required E ue no later	change. h at Least 24 hours in 30P tests.	advance of beginnin	
pressure. The approp a RPM submitted to d 4) Notify the Permit operations AND of an 5) WAR reports are d Correction Narrative Permit Primary Type Permit Subtype(s) Change Tubing	ocument the ting Sectior y required E ue no later Workover	change. h at Least 24 hours in 30P tests.	advance of beginnin	
pressure. The approp a RPM submitted to d 4) Notify the Permit operations AND of an 5) WAR reports are d Correction Narrative Permit Primary Type Permit Subtype(s) Change Tubing Operation Descriptio	ocument the ting Sectior y required E ue no later Workover n	change. h at Least 24 hours in 30P tests.	advance of beginnin day.	g these approved
pressure. The approp a RPM submitted to d 4) Notify the Permit operations AND of an 5) WAR reports are d Correction Narrative Permit Primary Type Permit Subtype(s) Change Tubing Operation Descriptio Workover to pull and	ocument the ting Sectior y required E ue no later Workover n replace tuk	change. n at Least 24 hours in 30P tests. than noon each Wednesd	advance of beginnin day.	g these approved
Pressure. The approp a RPM submitted to d 4) Notify the Permit operations AND of an 5) WAR reports are d Correction Narrative Permit Primary Type Permit Subtype(s) Change Tubing Operation Descriptio Vorkover to pull and Procedural Narrative	ocument the ting Sectior y required E ue no later Workover n replace tuk	change. n at Least 24 hours in 30P tests. than noon each Wednesd	advance of beginnin day.	g these approved
Pressure. The approp a RPM submitted to d 4) Notify the Permit operations AND of an 5) WAR reports are d Correction Narrative Permit Primary Type Permit Subtype(s) Change Tubing Operation Descriptio Norkover to pull and Procedural Narrative Norkover to replace Subsurface Safety Va	ocument the ting Sectior y required E ue no later Workover n replace tuk tubing and E lve	change. n at Least 24 hours in 30P tests. than noon each Wednesd	advance of beginnin day.	g these approved
pressure. The approp a RPM submitted to d 4) Notify the Permit operations AND of an 5) WAR reports are d Correction Narrative Permit Primary Type N Permit Subtype(s) Change Tubing Operation Descriptio Workover to pull and Procedural Narrative Workover to replace	ocument the ting Sectior y required E ue no later Workover n replace tuk tubing and E lve	change. n at Least 24 hours in 30P tests. than noon each Wednesd	advance of beginnin day.	g these approved
pressure. The approp a RPM submitted to d 4) Notify the Permit operations AND of an 5) WAR reports are d Correction Narrative Permit Primary Type Permit Subtype(s) Change Tubing Operation Descriptio Workover to pull and Procedural Narrative Workover to replace Subsurface Safety Va	ocument the ting Section y required E ue no later Workover n replace tuk tubing and E lve CCSSV	change. n at Least 24 hours in 30P tests. than noon each Wednesd	advance of beginnin day.	g these approved
Pressure. The approp a RPM submitted to d 4) Notify the Permit operations AND of an 5) WAR reports are d Correction Narrative Permit Primary Type T Permit Subtype(s) Change Tubing Operation Descriptio Norkover to pull and Procedural Narrative Norkover to replace Subsurface Safety Va Type Installed S Feet below Mudlin	ocument the ting Section y required E ue no later Workover n replace tuk tubing and E lve CSSV e 76	change. n at Least 24 hours in 30P tests. than noon each Wednesd	advance of beginnin day.	g these approved
Pressure. The approp a RPM submitted to d 4) Notify the Permit operations AND of an 5) WAR reports are d Correction Narrative Permit Primary Type T Permit Subtype(s) Change Tubing Operation Descriptio Norkover to pull and Procedural Narrative Norkover to replace Subsurface Safety Va Type Installed S Feet below Mudlin	ocument the ting Section y required E ue no later Workover n replace tuk tubing and E lve CCSSV e 76 ced Surface	change. a at Least 24 hours in 30P tests. than noon each Wedness bing and ESP pump to re ESP pump to return well Pressure (psi) 100	advance of beginnin day.	g these approved
pressure. The approp a RPM submitted to d 4) Notify the Permit operations AND of an 5) WAR reports are d Correction Narrative Permit Primary Type Permit Subtype(s) Change Tubing Operation Descriptio Workover to pull and Procedural Narrative Workover to replace Subsurface Safety Va Type Installed S Feet below Mudlin Maximum Anticipat	ocument the ting Section y required E ue no later Workover n replace tuk tubing and E lve CCSSV e 76 ced Surface	change. a at Least 24 hours in 30P tests. than noon each Wedness bing and ESP pump to re ESP pump to return well Pressure (psi) 100	advance of beginnin day.	g these approved
pressure. The approp a RPM submitted to d 4) Notify the Permit operations AND of an 5) WAR reports are d Correction Narrative Permit Primary Type Permit Subtype(s) Change Tubing Operation Descriptio Workover to pull and Procedural Narrative Workover to replace Subsurface Safety Va Type Installed S Feet below Mudlin Maximum Anticipat Shut-In Tubing Pr	ocument the ting Section y required F ue no later Workover n replace tuk tubing and F lve SCSSV se 76 ced Surface ressure (psi	change. h at Least 24 hours in 30P tests. than noon each Wedness bing and ESP pump to re- ESP pump to return well Pressure (psi) 100) 100	advance of beginnin day.	g these approved
Pressure. The approp a RPM submitted to d 4) Notify the Permit operations AND of an 5) WAR reports are d Correction Narrative Permit Primary Type Permit Subtype(s) Change Tubing Operation Descriptio Vorkover to pull and Procedural Narrative Vorkover to replace Subsurface Safety Va Type Installed S Feet below Mudlin Maximum Anticipat Shut-In Tubing Pr Rig Information	ocument the ting Section y required E ue no later Workover n replace tuk tubing and E lve SCSSV se 76 ced Surface ressure (psi	change. h at Least 24 hours in 30P tests. than noon each Wedness bing and ESP pump to re- ESP pump to return well Pressure (psi) 100) 100	advance of beginnin day.	g these approved
pressure. The approp a RPM submitted to d 4) Notify the Permit operations AND of an 5) WAR reports are d Correction Narrative Permit Primary Type T Permit Subtype(s) Change Tubing Deration Descriptio Workover to pull and Procedural Narrative Workover to replace Subsurface Safety Va Type Installed S Feet below Mudlin Maximum Anticipat Shut-In Tubing Pr Rig Information Name	ocument the ting Section y required E ue no later Workover n replace tuk tubing and E lve cCSSV e 76 ced Surface ressure (psi	change. h at Least 24 hours in 30P tests. than noon each Wedness bing and ESP pump to re- ESP pump to return well Pressure (psi) 100) 100 Id Type	advance of beginnin day. e-establish producti l to production. ABS Date 01-JAN-2014	g these approved on. Coast Guard Date 01-JAN-2014
pressure. The approp a RPM submitted to d 4) Notify the Permit operations AND of an 5) WAR reports are d Correction Narrative Permit Primary Type Permit Subtype(s) Change Tubing Operation Descriptio Norkover to pull and Procedural Narrative Norkover to replace Subsurface Safety Va Type Installed S Feet below Mudlin Maximum Anticipat Shut-In Tubing Pr Rig Information Name BETA RIG #1	ocument the ting Section y required E ue no later Workover n replace tuk tubing and E lve cCSSV e 76 ced Surface ressure (psi	change. h at Least 24 hours in 30P tests. than noon each Wedness bing and ESP pump to re- ESP pump to return well Pressure (psi) 100) 100 Id Type 36007 PLATFORM	advance of beginnin day. e-establish producti l to production. ABS Date 01-JAN-2014 Test Pressure	g these approved on. Coast Guard Date 01-JAN-2014
pressure. The approp a RPM submitted to d 4) Notify the Permit operations AND of an 5) WAR reports are d Correction Narrative Permit Primary Type Permit Subtype(s) Change Tubing Deration Descriptio Workover to pull and Procedural Narrative Workover to replace Subsurface Safety Va Type Installed S Feet below Mudlin Maximum Anticipat Shut-In Tubing Pr Rig Information Name BETA RIG #1 Blowout Preventer	ocument the ting Section y required E ue no later Workover n replace tuk tubing and E lve SCSSV se 76 ced Surface ressure (psi	change. h at Least 24 hours in 30P tests. than noon each Wedness bing and ESP pump to re- ESP pump to return well Pressure (psi) 100) 100 Id Type	advance of beginnin day. e-establish producti l to production. ABS Date 01-JAN-2014	g these approved on. Coast Guard Date 01-JAN-2014

Bureau of Safety and Environmental Enforcement (BSEE)

Application for Permit to Modify (APM)

Lease P	00301 Area LB Block 6438 Wel	1 Name AC	030 ST 00 BP 00 Type Development
pplica	tion Status Approved Operato	or 03126 Be	eta Operating Company, LLC
ate Co	mmencing Work (mm/dd/yyyy) 11-NOV-	2018	
Stimat	ed duration of the operation (days) 5	
/erbal	Approval Information		
	Official	Date (mm/	/dd/yyyy)
	John Kaiser	08-NOV-20	018
Questi	ons		
Number	Question	Response	Response Text
1	Is H2S present in the well? If yes, then comment on the inclusion of a Contingency Plan for this operation.	NO	
2	Is this proposed operation the only lease holding activity for the subject lease? If yes, then comment.	NO	
3	Will all wells in the well bay and related production equipment be shut-in when moving on to or off of an offshore platform, or from well to well on the platform? If not, please explain.	N/A	
4	Are you downhole commingling two or more reservoirs?	NO	
5	Will the completed interval be within 500 feet of a lease or unit boundary line? If yes, then comment.	NO	
6	For permanent abandonment, will casings be cut 15 feet below the mudline? If no, then comment.	N/A	
7	Will the proposed operation be covered by an EPA Discharge Permit? (Please provide permit number in comments for this question)	N/A	
	A	TACHMENT	rs
file Ty pdf		, test, pr	cocedure, and shear test
odf	Well Test Informat		
odf	Proposed Wellbore		
odf	Current Wellbore S	chematic	
odf	Deviation Survey		
df	A-30 Program		
odf	Ellen BOP cert par	t 1	
odf	Ellen BOP cert par		

28-NOV-2018 08:51:35 AM

Application for Permit to Modify (APM)

Lease P00301 Area	LB Block 6438 Well Name A030 ST 00 BP 00 Type Development					
Application Status	Approved Operator 03126 Beta Operating Company, LLC					
pdf	Ellen BOP cert part 3					
pdf	Ellen BOP cert part 4					
CONTACTS						
Name	Brent Chalmers					
Company	Beta Operating Company, LLC					
Phone Number	8323747205					
E-mail Address	brent.chalmers@amplifyenergy.com					
Contact Description	Production Engineer					

CERTIFICATION: I certify that information submitted is complete and accurate to the best of my knowledge. I understand that making a false statement may subject me to ci

Name and Title

Date
Brent Chalmers, Well Services Supervisor
08-NOV-2018

PAPERWORK REDUCTION ACT OF 1995 (PRA) STATEMENT: The PRA (44 U.S.C. 3501 et seq. Requires us to inform you that we collect this information to obtain knowledge of equipment and procedures to be used in drilling operations. MMS uses the information to evaluate and approve or disapprove the adequacy of the equipment and/or procedures to safely perform the proposed drilling operation. Responses are mandatory (43 U.S.C. 1334). Proprietary data are covered under 30 CFR 250.196. An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB Control Number. Public reporting burden for this form is estimated to average 11/4 hours per response, including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding the burden estimate or any other aspect of this form to the Information Collection Clearance Officer, Mail Stop 4230, Minerals Management Service, 1849 C Street, N.W., Washington, DC 20240.