Application for Permit to Modify (APM)

Lease P00216 Area		862 Wel	Ll Name S004	ST 00	BP 00	-11	Development
pplication Status	Approved	Operato	or 02531 DCOR	, L.L.C.			
Pay.gov		Agency			Pay.gov		
Amount: \$125.00			ID: EWL-APM-2	02916	Tracking	ID: 26	5F8JMPP
	•						
eneral Informat	tion						
API 043112049500	Apj	proval Dt	08-FEB-2019		Approve	ed By	John Kaiser
Submitted Dt 06-FEB	-2019 We	ll Status	Completed		Water I	Depth	208
Surface Lease P002	16 Are	ea	LA		Block		6862
Approval Comments							0002
 Conditions of Appro	val:						
any written instruct 2) A copy of this p available to inspect 3) All pressure contract and the dait the approved permit	permit (includ stors upon req itaining equip ly operations t, the equipme	ling all a quest durin ment must report. ent in use	ttachments) n ng the permit be tested to If well press	must be l tted oper o the app sures exc ted at a	ration. proved per ceed the s minimum f	rmitte SITP/M	d pressure and ASP stated in new observed
RPM submitted to) Notify the Permi perations AND of a) WAR reports are	document the tting Section any required E due no later	change. 1 at Least 30P tests.	24 hours in	advance			sure change ar hese approved
RPM submitted to) Notify the Permi operations AND of a) WAR reports are correction Narrativ Permit Primary Type Permit Subtype(s)	document the tting Section any required E due no later 7e Workover	change. 1 at Least 30P tests.	24 hours in	advance			
A RPM submitted to A) Notify the Permi operations AND of a 5) WAR reports are Correction Narrativ Permit Primary Type	document the tting Section any required E due no later 7e Workover	change. 1 at Least 30P tests.	24 hours in	advance			
A RPM submitted to A) Notify the Permi operations AND of a 5) WAR reports are Correction Narrative Permit Primary Type Permit Subtype(s) Describe Operation Operation Descripti	document the tting Section any required E due no later re Workover n(S)	change. 1 at Least 30P tests.	24 hours in	advance			
A RPM submitted to 4) Notify the Permi pperations AND of a 5) WAR reports are Correction Narrativ Permit Primary Type Permit Subtype(s) Describe Operation Describe Operation Descripti See attached Propos	document the tting Section any required E due no later Workover n(S) Lon sed Action.	change. 1 at Least 30P tests.	24 hours in	advance			
A RPM submitted to (4) Notify the Permi operations AND of a (5) WAR reports are Correction Narrative Permit Primary Type Permit Subtype(s) Describe Operation Operation Descripti See attached Propos Procedural Narrative	document the tting Section any required E due no later re Workover n(S) con sed Action. re	change. 1 at Least 30P tests.	24 hours in	advance			
A RPM submitted to 4) Notify the Permi perations AND of a 5) WAR reports are Correction Narrative Permit Primary Type Permit Subtype(s) Describe Operation Describe Operation Describe Appropriation Describe Appropriation Description Description See attached Propose Procedural Narrative See attached "Proce	document the tting Section any required E due no later re Workover n(S) ton sed Action. re edure".	change. 1 at Least 30P tests.	24 hours in	advance			
A RPM submitted to A) Notify the Permi operations AND of a b) WAR reports are Correction Narrative Permit Primary Type Permit Subtype(s) Describe Operation Operation Descripti See attached Propos Procedural Narrative See attached "Proces Subsurface Safety V	document the tting Section any required E due no later Workover n(S) con sed Action. re edure". Zalve	change. 1 at Least 30P tests.	24 hours in	advance			
A RPM submitted to A) Notify the Permi operations AND of a b) WAR reports are Correction Narrative Permit Primary Type Permit Subtype(s) Describe Operation Describe Operation Describe Operation Describe Propose Procedural Narrative See attached "Proces Subsurface Safety V Type Installed	document the tting Section any required E due no later re Workover n(S) on sed Action. re edure". Yalve SCSSV	change. 1 at Least 30P tests.	24 hours in	advance			
A RPM submitted to A) Notify the Permi operations AND of a b) WAR reports are Correction Narrative Permit Primary Type Permit Subtype(s) Describe Operation Operation Descripti See attached Propos Procedural Narrative Subsurface Safety V Type Installed Feet below Mudl:	document the tting Section any required E due no later we Workover (S) fon sed Action. re edure". Valve SCSSV ine 361	change. n at Least 30P tests. than noon	24 hours in each Wedness	advance			
A RPM submitted to A) Notify the Permi operations AND of a b) WAR reports are Correction Narrative Permit Primary Type Permit Subtype(s) Describe Operation Describe Operation Describe Operation Describe Operation Describe Operation See attached Propos Procedural Narrative See attached "Proce Subsurface Safety V Type Installed Feet below Mudl: Maximum Anticipe	document the tting Section any required E due no later re Workover n(S) on sed Action. re edure". Zalve SCSSV ine 361 ated Surface 3	change. n at Least 30P tests. than noon	24 hours in each Wedness	advance			
A RPM submitted to (4) Notify the Permi operations AND of a (5) WAR reports are Correction Narrative Permit Primary Type Permit Subtype(s) Describe Operation Operation Descripti See attached Propos Procedural Narrative See attached "Proce Subsurface Safety V Type Installed Feet below Mudl: Maximum Anticipe Shut-In Tubing D	document the tting Section any required E due no later re Workover n(S) on sed Action. re edure". Zalve SCSSV ine 361 ated Surface 3	change. n at Least 30P tests. than noon	24 hours in each Wedness	advance			
A RPM submitted to (4) Notify the Permi operations AND of a (5) WAR reports are Correction Narrative Permit Primary Type Permit Subtype(s) Describe Operation Operation Descripting See attached Propose Procedural Narrative Subsurface Safety V Type Installed Feet below Mudl: Maximum Anticipe	document the tting Section any required E due no later re Workover n(S) on sed Action. re edure". Zalve SCSSV ine 361 ated Surface 3	change. n at Least 30P tests. than noon	24 hours in each Wedness	advance			
A RPM submitted to A) Notify the Permi operations AND of a b) WAR reports are Correction Narrative Permit Primary Type Permit Subtype(s) Describe Operation Describe Operation Describe Operation Describe Operation See attached Propos Procedural Narrative See attached "Proce Subsurface Safety V Type Installed Feet below Mudl: Maximum Anticipe Shut-In Tubing D Rig Information Name	document the tting Section any required E due no later re Workover n(S) Lon sed Action. re edure". Talve SCSSV ine 361 ated Surface I Pressure (psi	change. a at Least 30P tests. than noon Pressure (J Id	24 hours in each Wedness	advance day.		ning t	
A RPM submitted to A) Notify the Permi operations AND of a 5) WAR reports are Correction Narrativ Permit Primary Type Permit Subtype(s) Describe Operation Describe Operation Describe Operation Describe Operation See attached Propos Procedural Narrativ See attached "Proce Subsurface Safety V Type Installed Feet below Mudl: Maximum Anticip Shut-In Tubing D Rig Information Name DCOR RIG #10	document the tting Section any required E due no later re Workover n(S) fon sed Action. re edure". Yalve scssv ine 361 ated Surface F Pressure (psi	change. n at Least 30P tests. than noon	24 hours in each Wedness	advance day.	of begins	ning t	hese approved
A RPM submitted to A RPM submitted to b) Notify the Permi operations AND of a b) WAR reports are correction Narrative Permit Primary Type Permit Subtype(s) Describe Operation Operation Descripting See attached Propose Procedural Narrative See attached "Proce Subsurface Safety V Type Installed Feet below Mudl: Maximum Anticipe Shut-In Tubing D Rig Information Name DCOR RIG #10	document the tting Section any required E due no later re Workover n(S) fon sed Action. re edure". Yalve scssv ine 361 ated Surface F Pressure (psi	change. a at Least 30P tests. than noon Pressure (J Id	24 hours in each Wedness (psi) 300	advance day.	of begins	cc	hese approved
A RPM submitted to A) Notify the Permi operations AND of a b) WAR reports are Correction Narrative Permit Primary Type Permit Subtype(s) Describe Operation Describe Operation Describe Operation Describe Operation See attached Propos Procedural Narrative See attached "Proce Subsurface Safety V Type Installed Feet below Mudl: Maximum Anticipe Shut-In Tubing D Rig Information Name	document the tting Section any required E due no later re Workover n(S) fon sed Action. re edure". Yalve scssv ine 361 ated Surface F Pressure (psi	change. n at Least 30P tests. than noon Pressure () Id 44501	24 hours in each Wedness (psi) 300	advance day.	of begins	cc	hese approved
A RPM submitted to A) Notify the Permi operations AND of a 5) WAR reports are Correction Narrativ Permit Primary Type Permit Subtype(s) Describe Operation Describe Operation Name DCOR RIG #10 Blowout Prevente	document the tting Section any required E due no later re Workover n(S) ton sed Action. re edure". Yalve SCSSV ine 361 ated Surface : Pressure (psi	change. n at Least 30P tests. than noon Pressure () Id 44501	24 hours in each Wedness (psi) 300 Type PLATFORM	advance day. Al	of begins	cc	hese approved

Bureau of Safety and Environmental Enforcement (BSEE)

Application for Permit to Modify (APM)

Lease PO	0216 Area LA Block 6862 We	Ll Name SC	004 ST 00 BP 00 Type Development
Applicat	cion Status Approved Operato	or 02531 DC	COR, L.L.C.
ate Con	mmencing Work (mm/dd/yyyy) 06-FEB-	2019	
Stimate	ed duration of the operation (days) 7	
/erbal	Approval Information		
	Official	Date (mm	/dd/yyyy)
	John Kaiser	06-FEB-20	019
Questio	ons		
	Question		Response Text
1	Is H2S present in the well? If yes, then comment on the inclusion of a Contingency Plan for this operation.	NO	
2	Is this proposed operation the only lease holding activity for the subject lease? If yes, then comment.	NO	
3	Will all wells in the well bay and related production equipment be shut-in when moving on to or off of an offshore platform, or from well to well on the platform? If not, please explain.	NO	SOLID STEEL DECK BETWEEN DRILL DECK AND WELL BAYS, PER FIELD RULES.
4	Are you downhole commingling two or more reservoirs?	NO	
5	Will the completed interval be within 500 feet of a lease or unit boundary line? If yes, then comment.	NO	
6	For permanent abandonment, will casings be cut 15 feet below the mudline? If no, then comment.	N/A	
7	Will the proposed operation be covered by an EPA Discharge Permit? (Please provide permit number in comments for this question)	NO	
		TACHMENT	rs
File Typ			
pdf	Well S-4 Categoric		
pdf	Rig/Coil Tubing/Sn		t BOP SCHEMATIC
pdf	Proposed Wellbore		
pdf	Current Wellbore S		
pdf	Gilda S-4 Well Inf		
pdf	Gilda S-4 Procedur		
pdf	Gilda S-4 Proposed		
pdf	Gilda Well Control	Plan	

08-FEB-2019 09:57:53 AM

Application for Permit to Modify (APM)

Lease P00216 Area	LA Block 6862 Well Name S004 ST 00 BP 00 Type Development			
Application Status	Approved Operator 02531 DCOR, L.L.C.			
pdf	Gilda S-4 Inspection Document			
pdf	Gilda S-4 Engineering Certification			
pdf	Gilda S-4 Public Information			
	CONTACTS			
Name	Jimilyn Summers			
Company	DCOR, L.L.C.			
Phone Number	805-535-2061			
E-mail Address	jsummers@dcorllc.com			
Contact Description				
	dale bradley			
	DCOR, L.L.C.			
	805-535-2085			
	dbradley@dcorllc.com			
	David Cohen			
	DCOR, L.L.C.			
	805-535-2028			
	dcohen@dcorllc.com			

CERTIFICATION: I certify that information submitted is complete and accurate to the best of my knowledge. I understand that making a false statement may subject me to cit

 Name and Title
 Date

 limilyn Summers, Well Operations Technicia
 06-FEB-2019

PAPERWORK REDUCTION ACT OF 1995 (PRA) STATEMENT: The PRA (44 U.S.C. 3501 et seq. Requires us to inform you that we collect this information to obtain knowledge of equipment and procedures to be used in drilling operations. MMS uses the information to evaluate and approve or disapprove the adequacy of the equipment and/or procedures to safely perform the proposed drilling operation. Responses are mandatory (43 U.S.C. 1334). Proprietary data are covered under 30 CFR 250.196. An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB Control Number. Public reporting burden for this form is estimated to average 11/4 hours per response, including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding the burden estimate or any other aspect of this form to the Information Collection Clearance Officer, Mail Stop 4230, Minerals Management Service, 1849 C Street, N.W., Washington, DC 20240.

08-FEB-2019 09:57:53 AM