Application for Permit to Modify (APM)

Lease P00316 Area SM	Block 6576 Well Name B018	ST 01 BP 00 Type Development
Application Status Appro	oved Operator 03280 Freepo	ort-McMoRan Oil & Gas LLC
Pay.gov Amount: \$125.00	Agency Tracking ID: EWL-APM-206	Pay.gov 6589 Tracking ID: 26KU7B00
General Information		
API 043112066201	Approval Dt 30-OCT-2019	Approved By John Kaiser
Submitted Dt 17-OCT-2019	Well Status Completed	Water Depth 603
Surface Lease P00316	Area SM	Block 6576

Approval Comments

Conditions of Approval:

- 1) All operations must be conducted in accordance with the OCS Lands Act (OCSLA), the lease terms and stipulations, the regulations of 30 CFR Part 250, Notices to Lessees and Operators (NTLs), the approved (revised) Application for Permit to Modify (APM/RPM), and any written instructions or orders of the District Manager.
- 2) A copy of this permit (including all attachments) must be kept on location and made available to inspectors upon request during the permitted operation.
- 3) Any casing or annuli that fails a pressure test or bubble test must be reported to the Permitting section and remediated before proceeding.
- 4) A revised PE certification is needed if (1) the plug type changes in any way including changes in cement properties, (2) any plug's setting depth (even the ones that are not required per 250.1715), changes ± 100 ' TVD, (3) the pressure test changes on any plug, (4) less cement is to be pumped, (5) more cement is to be pumped in order to isolate a hydrocarbon zone that was not anticipated in the original permit, (6) a remedial cement job is required that was not included in the original permit, or (7) any plug change that makes you deviate from the §250.1715 table.
- 5) You must have a PE certify these changes prior to these operations being performed. You must submit a revised permit with the PE certification for the revisions to this office within 72 hours.
- 6) All pressure containing equipment must be tested to the approved permitted pressure and recorded on the daily operations report. If well pressures exceed the SITP/MASP stated in the approved permit, the equipment in use must be tested at a minimum to the new observed pressure. The appropriate District must be immediately notified of this pressure change and a RPM submitted to document the change.
- 7) At the end of this operation, a tree or dry hole tree must be installed for the purpose of monitoring all non-structural casing annuli that are tied back to the surface.
- 8) Data must be submitted with the End of Operations Report (EOR) to demonstrate that the fluid left in the hole meets 30 CFR 250.1715(a)9. Corrosion inhibitor and biocide are recommended additives but not required.
- 9) Notify the Permitting Section at Least 24 hours in advance of beginning these approved operations AND of any required BOP tests AND of any plug testing or tagging.
- 10) Results of all annuli testing and plug testing must be included with the EOR.
- 11) WAR reports are due no later than noon each Wednesday.
- 12) Initial movement of CTU equipment onto the platform must be reported in eWells.
- 13) A pre-workover rig (or CTU, or HWU) inspection must be done prior to APM startup of the first well with that equipment.
- 14) The Permitting section must be notified at least 24 hours in advance of pressure testing annuli or plugs so that they might witness same. The Permitting section must also be notified of any plug tags and bubble tests for the same reason.

Correction Narrative

U.S. Department of the InteriorBureau of Safety and Environmental Enforcement (BSEE)

Application for Permit to Modify (APM)

Lease P0	0316 A	rea SM	Block	6576	Well	Name	B01	8 ST	01	BP 00	T ype D	evelopment	
Applicat	ion Stat	us Appro	oved	Oper	ator	03280	Fre	eport-1	McMoRa	an Oil &	Gas I	ıLC	
Permit P	rimary T	ype Aban	donment	Of Well	Bor	е							
Permit S	ubtype(s)											
Tempora	ry Abando	onment											
Operatio	n Descri	ption								J.			
Procedur	al Narra	timo											-
	Narrative	_	cached.										
	ce Safet	=											
	Installe												
Feet	below Mu	dline 1	27										
Maxim	num Antic	ipated	Surface	Pressur	e (p	si) 25	25						
Shut-	-In Tubin	g Press	ure (ps	i) 500									
Rig Inf	formation	n											
Name				Id	T	ype			ABS	Date	Coa	st Guard Da	te
* COIL	TUBING U	NIT		45016					31-I	DEC-2019	31-	DEC-2019	
Blowout	Prever	nters							Test	Pressure			
Prevent	er		Size	Woı	cking	Pres	sure	Low		High			
Coil Tu	ıbing			100	000			250		3500			
Wirelin	ie			500	00					3500			
Date Com	mencing N	Work (mm	n/dd/yyy	y) 21-0	CT-20)19						_	
Estimate	d duration	on of th	ne opera	ation (da	ays)	10							
Verbal	Approva	l Info	rmatio	on]			
	Official				I	Date (mm/d	d/yyyy)				
Questic	ons									-			
Number	Question	l .			I	Respon	se F	Respons	е Тех	t			
1	Is H2S p yes, the inclusio for this	n commen n of a (nt on th Continge	ne		ÆS	P	reviou	sly s	ubmitted	•		
2	Is this only lea the subj	se hold:	ing act	ivity fo	r	1/A							
3	Will all and rela be shut-off of a from wel platform explain.	ted prodin when n offshold to well? If not	duction moving ore plat ll on th t, pleas	equipment on to on the one one one one one one one one one on	nt r r	J/A							
4	Are you or more			ngling t	wo N	1/A							

OMB Control Number 1014-0026 OMB Approval Expires 07/31/2020

Application for Permit to Modify (APM)

Lease P0	0316 Area SM	Block 6576 Wel	ll Name BO	18 ST 01	BP 00	Type Development			
Application Status Approved Operator 03280 Freeport-McMoRan Oil & Gas LLC									
Questions									
Number Question Response Response Text									
Will the completed interval be within 500 feet of a lease or unit boundary line? If yes, then comment.			N/A						
6	For permanent abandonment, will casings be cut 15 feet below the mudline? If no, then comment.								
7	Will the proposed operation be covered by an EPA Discharge Permit? (Please provide permit number in comments for this question)								
		A:	TACHMENT	'S					
File Typ	e	File Description							
pdf		Rig/Coil Tubing/Snubbing Unit BOP Schematic							
pdf		Proposed Wellbore Schematic							
pdf		Current Wellbore Schematic							
pdf		CER Narrative							
pdf		Procedures							
pdf Well B-18 CER									
CONTACTS									
Name Nancy Rodriguez									
Company Freeport-McMoRan Oil & Gas LLC			LC						
Phone Number 281-539-76		281-539-7640							
E-mail Address nrodrigu@fmi.com									
Contact	Description								

CERTIFICATION: I certify that information submitted is complete and accurate to the best of my knowledge. I understand that making a false statement may subject me to complete and accurate to the

Name	and	Title		Date	
			Nancy Rodriguez, Regulatory Technician		17-OCT-2019

Page:

of

U.S. Department of the InteriorBureau of Safety and Environmental Enforcement (BSEE)

Application for Permit to Modify (APM)

PAPERWORK REDUCTION ACT OF 1995 (PRA) STATEMENT: The PRA (44 U.S.C. 3501 et seq. Requires us to inform you that we collect this information to obtain knowledge of equipment and procedures to be used in drilling operations. MMS uses the information to evaluate and approve or disapprove the adequacy of the equipment and/or procedures to safely perform the proposed drilling operation. Responses are mandatory (43 U.S.C. 1334). Proprietary data are covered under 30 CFR 250.196. An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB Control Number. Public reporting burden for this form is estimated to average 11/4 hours per response, including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding the burden estimate or any other aspect of this form to the Information Collection Clearance Officer, Mail Stop 4230, Minerals Management Service, 1849 C Street, N.W., Washington, DC 20240.

Page:

of