	lock 6524 Well Name C00	08 ST 00 BP 00 Type Development
Application Status Approve	d Operator 03280 Fre	eeport-McMoRan Oil & Gas LLC
Pay.gov	Agency	Pay.gov
Amount:	Tracking ID: 75663567	7285 Tracking ID: 26ETQB5K
General Information		
API 560452007800	Approval Dt 06-FEB-2019	Approved By John Kaiser
Submitted Dt 23-JAN-2019	Well Status Completed	Water Depth 430
Surface Lease P00450	Area SM	Block 6524
Approval Comments		
Conditions of Approval:		
1) All operations must be	conducted in accordance wi	th the OCS Lands Act (OCSLA), the leas
		art 250, Notices to Lessees and
—	-	
		for Permit to Modify (APM/RPM), and
any written instructions o		
	-	must be kept on location and made
arrailable to increators up	on request during the perm	vitted operation
available to inspectors up	on request during the perm	incled operation.
		-
3) Any casing or annuli th	at fails a pressure test o	or bubble test must be reported to the
3) Any casing or annuli th Permitting section and rem	at fails a pressure test o ediated before proceeding.	or bubble test must be reported to the
3) Any casing or annuli th Permitting section and rem 4) A revised PE certificat	at fails a pressure test o ediated before proceeding. ion is needed if (1) the p	or bubble test must be reported to the olug type changes in any way including
3) Any casing or annuli th Permitting section and rem 4) A revised PE certificat changes in cement properti	at fails a pressure test o ediated before proceeding. ion is needed if (1) the p es, (2) any plug's setting	or bubble test must be reported to the olug type changes in any way including g depth (even the ones that are not
3) Any casing or annuli th Permitting section and rem 4) A revised PE certificat changes in cement properti required per 250.1715), ch	at fails a pressure test o ediated before proceeding. ion is needed if (1) the p es, (2) any plug's setting anges ± 100 ' TVD, (3) the	or bubble test must be reported to the olug type changes in any way including g depth (even the ones that are not e pressure test changes on any plug, (4
3) Any casing or annuli th Permitting section and rem 4) A revised PE certificat changes in cement properti required per 250.1715), ch less cement is to be pumpe	at fails a pressure test o ediated before proceeding. ion is needed if (1) the p es, (2) any plug's setting anges ± 100 ' TVD, (3) the d, (5) more cement is to b	or bubble test must be reported to the olug type changes in any way including g depth (even the ones that are not e pressure test changes on any plug, (4 be pumped in order to isolate a
3) Any casing or annuli th Permitting section and rem 4) A revised PE certificat changes in cement properti required per 250.1715), ch less cement is to be pumpe hydrocarbon zone that was	at fails a pressure test o ediated before proceeding. ion is needed if (1) the p es, (2) any plug's setting anges ± 100 ' TVD, (3) the d, (5) more cement is to b not anticipated in the ori	or bubble test must be reported to the olug type changes in any way including g depth (even the ones that are not e pressure test changes on any plug, (4 be pumped in order to isolate a ginal permit, (6) a remedial cement jo
3) Any casing or annuli th Permitting section and rem 4) A revised PE certificat changes in cement properti required per 250.1715), ch less cement is to be pumpe hydrocarbon zone that was is required that was not i	at fails a pressure test o ediated before proceeding. ion is needed if (1) the p es, (2) any plug's setting anges ± 100 ' TVD, (3) the d, (5) more cement is to b not anticipated in the ori ncluded in the original pe	or bubble test must be reported to the olug type changes in any way including g depth (even the ones that are not e pressure test changes on any plug, (4 be pumped in order to isolate a
3) Any casing or annuli th Permitting section and rem 4) A revised PE certificat changes in cement properti required per 250.1715), ch less cement is to be pumpe hydrocarbon zone that was	at fails a pressure test o ediated before proceeding. ion is needed if (1) the p es, (2) any plug's setting anges ± 100 ' TVD, (3) the d, (5) more cement is to b not anticipated in the ori ncluded in the original pe	or bubble test must be reported to the olug type changes in any way including g depth (even the ones that are not e pressure test changes on any plug, (4 be pumped in order to isolate a ginal permit, (6) a remedial cement jo
3) Any casing or annuli th Permitting section and rem 4) A revised PE certificat changes in cement properti required per 250.1715), ch less cement is to be pumpe hydrocarbon zone that was is required that was not i you deviate from the §250.	at fails a pressure test o ediated before proceeding. ion is needed if (1) the p es, (2) any plug's setting anges ± 100 ' TVD, (3) the d, (5) more cement is to b not anticipated in the ori ncluded in the original pe 1715 table.	or bubble test must be reported to the olug type changes in any way including g depth (even the ones that are not e pressure test changes on any plug, (4 be pumped in order to isolate a ginal permit, (6) a remedial cement jo
3) Any casing or annuli th Permitting section and rem 4) A revised PE certificat changes in cement properti required per 250.1715), ch less cement is to be pumpe hydrocarbon zone that was is required that was not i you deviate from the §250. 5) You must have a PE cert	at fails a pressure test o ediated before proceeding. ion is needed if (1) the p es, (2) any plug's setting anges ± 100 ' TVD, (3) the d, (5) more cement is to b not anticipated in the ori ncluded in the original pe 1715 table. ify these changes prior to	or bubble test must be reported to the olug type changes in any way including g depth (even the ones that are not e pressure test changes on any plug, (4 be pumped in order to isolate a ginal permit, (6) a remedial cement jo ermit, or (7) any plug change that make
3) Any casing or annuli th Permitting section and rem 4) A revised PE certificat changes in cement properti required per 250.1715), ch less cement is to be pumpe hydrocarbon zone that was is required that was not i you deviate from the §250. 5) You must have a PE cert	at fails a pressure test o ediated before proceeding. ion is needed if (1) the p es, (2) any plug's setting anges ± 100 ' TVD, (3) the d, (5) more cement is to b not anticipated in the ori ncluded in the original pe 1715 table. ify these changes prior to	or bubble test must be reported to the olug type changes in any way including g depth (even the ones that are not e pressure test changes on any plug, (4 be pumped in order to isolate a ginal permit, (6) a remedial cement jo ermit, or (7) any plug change that make o these operations being performed. You
3) Any casing or annuli th Permitting section and rem 4) A revised PE certificat changes in cement properti required per 250.1715), ch less cement is to be pumpe hydrocarbon zone that was is required that was not i you deviate from the §250. 5) You must have a PE cert must submit a revised perm within 72 hours.	at fails a pressure test o ediated before proceeding. ion is needed if (1) the p es, (2) any plug's setting anges ± 100 ' TVD, (3) the d, (5) more cement is to b not anticipated in the ori ncluded in the original pe 1715 table. ify these changes prior to it with the PE certificati	or bubble test must be reported to the olug type changes in any way including g depth (even the ones that are not e pressure test changes on any plug, (4 be pumped in order to isolate a ginal permit, (6) a remedial cement jo ermit, or (7) any plug change that make these operations being performed. You on for the revisions to this office
 Any casing or annuli th Permitting section and rem A revised PE certificat changes in cement properti required per 250.1715), ch less cement is to be pumpe hydrocarbon zone that was is required that was not i you deviate from the §250. You must have a PE cert must submit a revised perm within 72 hours. All pressure containing 	at fails a pressure test o ediated before proceeding. ion is needed if (1) the p es, (2) any plug's setting anges ± 100 ' TVD, (3) the d, (5) more cement is to b not anticipated in the ori ncluded in the original pe 1715 table. ify these changes prior to it with the PE certificati equipment must be tested	or bubble test must be reported to the olug type changes in any way including g depth (even the ones that are not e pressure test changes on any plug, (4 be pumped in order to isolate a ginal permit, (6) a remedial cement jo ermit, or (7) any plug change that make these operations being performed. You on for the revisions to this office to the approved permitted pressure and
 Any casing or annuli th Permitting section and rem A revised PE certificat changes in cement properti required per 250.1715), ch less cement is to be pumpe hydrocarbon zone that was is required that was not i you deviate from the §250. You must have a PE cert must submit a revised perm within 72 hours. All pressure containing recorded on the daily oper 	at fails a pressure test o ediated before proceeding. ion is needed if (1) the p es, (2) any plug's setting anges ± 100 ' TVD, (3) the d, (5) more cement is to b not anticipated in the ori ncluded in the original pe 1715 table. ify these changes prior to it with the PE certificati equipment must be tested ations report. If well pre	or bubble test must be reported to the olug type changes in any way including g depth (even the ones that are not e pressure test changes on any plug, (4 be pumped in order to isolate a ginal permit, (6) a remedial cement jo ermit, or (7) any plug change that make to these operations being performed. You on for the revisions to this office to the approved permitted pressure and essures exceed the SITP/MASP stated in
3) Any casing or annuli th Permitting section and rem 4) A revised PE certificat changes in cement properti required per 250.1715), ch less cement is to be pumpe hydrocarbon zone that was is required that was not i you deviate from the §250. 5) You must have a PE cert must submit a revised perm within 72 hours. 6) All pressure containing recorded on the daily oper the approved permit, the e	at fails a pressure test o ediated before proceeding. ion is needed if (1) the p es, (2) any plug's setting anges ± 100 ' TVD, (3) the d, (5) more cement is to b not anticipated in the ori ncluded in the original pe 1715 table. ify these changes prior to it with the PE certificati equipment must be tested ations report. If well pre quipment in use must be te	or bubble test must be reported to the olug type changes in any way including g depth (even the ones that are not e pressure test changes on any plug, (4 be pumped in order to isolate a ginal permit, (6) a remedial cement jo ermit, or (7) any plug change that make to these operations being performed. You on for the revisions to this office to the approved permitted pressure and essures exceed the SITP/MASP stated in ested at a minimum to the new observed
 Any casing or annuli th Permitting section and rem A revised PE certificat changes in cement properti required per 250.1715), ch less cement is to be pumpe hydrocarbon zone that was is required that was not i you deviate from the §250. You must have a PE cert must submit a revised perm within 72 hours. All pressure containing recorded on the daily oper the approved permit, the e pressure. The appropriate 	at fails a pressure test o ediated before proceeding. ion is needed if (1) the p es, (2) any plug's setting anges ± 100 ' TVD, (3) the d, (5) more cement is to b not anticipated in the ori ncluded in the original pe 1715 table. ify these changes prior to it with the PE certificati equipment must be tested ations report. If well pre quipment in use must be te District must be immediate	or bubble test must be reported to the olug type changes in any way including g depth (even the ones that are not e pressure test changes on any plug, (4 be pumped in order to isolate a ginal permit, (6) a remedial cement jo ermit, or (7) any plug change that make to these operations being performed. You on for the revisions to this office to the approved permitted pressure and essures exceed the SITP/MASP stated in
 Any casing or annuli th Permitting section and rem A revised PE certificat changes in cement properti required per 250.1715), ch less cement is to be pumpe hydrocarbon zone that was is required that was not i you deviate from the §250. You must have a PE cert must submit a revised perm within 72 hours. All pressure containing recorded on the daily oper the approved permit, the e pressure. The appropriate a RPM submitted to documen 	at fails a pressure test o ediated before proceeding. ion is needed if (1) the p es, (2) any plug's setting anges ± 100 ' TVD, (3) the d, (5) more cement is to b not anticipated in the ori ncluded in the original pe 1715 table. ify these changes prior to it with the PE certificati equipment must be tested ations report. If well pre quipment in use must be te District must be immediate t the change.	or bubble test must be reported to the olug type changes in any way including g depth (even the ones that are not e pressure test changes on any plug, (4 be pumped in order to isolate a ginal permit, (6) a remedial cement jo ermit, or (7) any plug change that make these operations being performed. You on for the revisions to this office to the approved permitted pressure and essures exceed the SITP/MASP stated in ested at a minimum to the new observed ely notified of this pressure change ar
 Any casing or annuli the permitting section and remeter a	at fails a pressure test o ediated before proceeding. ion is needed if (1) the p es, (2) any plug's setting anges ± 100 ' TVD, (3) the d, (5) more cement is to b not anticipated in the ori ncluded in the original pe 1715 table. ify these changes prior to it with the PE certificati equipment must be tested ations report. If well pre quipment in use must be te District must be immediate t the change. ation, a tree or dry hole	or bubble test must be reported to the olug type changes in any way including g depth (even the ones that are not e pressure test changes on any plug, (- be pumped in order to isolate a ginal permit, (6) a remedial cement jo ermit, or (7) any plug change that make these operations being performed. You con for the revisions to this office to the approved permitted pressure and essures exceed the SITP/MASP stated in ested at a minimum to the new observed

of monitoring all non-structural casing annuli that are tied back to the surface. 8) Data must be submitted with the End of Operations Report (EOR) to demonstrate that the fluid left in the hole meets 30 CFR 250.1715(a)9. Corrosion inhibitor and biocide are

recommended additives but not required.

9) Notify the Permitting Section at Least 24 hours in advance of beginning these approved operations AND of any required BOP tests AND of any plug testing or tagging.

10) Results of all annuli testing and plug testing must be included with the EOR.

11) WAR reports are due no later than noon each Wednesday.

12) Initial movement of CTU equipment onto the platform must be reported in eWells.

13) A pre-workover rig (or CTU, or HWU) inspection must be done prior to APM startup of the first well with that equipment.

14) The Permitting section must be notified at least 24 hours in advance of pressure testing annuli or plugs so that they might witness same. The Permitting section must also be notified of any plug tags and bubble tests for the same reason.

Correction Narrative

Lease	P00450 Area SM Block 6524	4 Wel	l Name	C008	ST 00	BP 00 T	ype De	evelopment
Applic	ation Status Approved	Operato	or 03280	Freeport	-McMoR	an Oil &	Gas L	LC
Permit Tempo	: Primary Type Abandonment Of : Subtype(s) prary Abandonment	Well Bo	ore					
perat	ion Description							
	lural Narrative e refer to attached procedure	s and W	BS.					
	receipt attached.							
	face Safety Valve De Installed SCSSV							
	et below Mudline 201							
Ma: Shu	ximum Anticipated Surface Pre ut-In Tubing Pressure (psi)		psi) 130	56				
_	information		_					
		016	Туре			Date DEC-2019		st Guard Date DEC-2019
Blowc	out Preventers				- Test	Pressure		
Preve	enter Size Tubing	Worki : 15000	ng Press	ure Low		High 3500		
Wirel	-	5000		2.00	0	3500		
Estima	Commencing Work (mm/dd/yyyy) ated duration of the operation al Approval Information Official) 10)]		
Quest			Date (I	mm/dd/yyy	(Y)			
~	Provention		Respons	se Respo	nse Tez	ct		
1	Is H2S present in the well yes, then comment on the inclusion of a Contingency for this operation.		YES	Previo	ously p	provided.		
2	Is this proposed operation only lease holding activit the subject lease? If yes, comment.	y for	N/A					
3	Will all wells in the well and related production equ be shut-in when moving on off of an offshore platfor from well to well on the platform? If not, please explain.	ipment to or	N/A					
4	Are you downhole commingli or more reservoirs?	.ng two	N/A					

Lease P00450 Area SM	Block 6524 Wel	l Name CO	08 ST 00	BP 00	Type Dev	velopment	
Application Status App			eeport-McMoR			-	
	-		-				
Questions Number Question Response Response Text							
5 Will the compl	eted interval be t of a lease or line? If yes,	N/A					
casings be cut	abandonment, will 15 feet below the , then comment.	N/A					
covered by an Permit? (Pleas	Will the proposed operation be covered by an EPA Discharge Permit? (Please provide permit number in comments for this question)						
	A	TACHMENT	S				
File Type							
pdf		sion Review					
		nubbing Unit BOP Schematic					
pdf Proposed Wellbo pdf Current Wellbor							
pdf	chematic						
odf Procedures							
pdf	PayGov receipt						
CONTACTS							
Name	me Nancy Rodriguez						
Company	Company Freeport-McMoRan Oil & Gas LLC						
Phone Number	2815397640						
E-mail Address	nrodrigu@fmi.com						
Contact Description							

CERTIFICATION: I certify that information submitted is complete and accurate to the best of my knowledge. I understand that making a false statement may subject me to complete the statement me to

Name and Title		Date	
	Nancy Rodriguez, Regulatory Technician		23-JAN-2019

PAPERWORK REDUCTION ACT OF 1995 (PRA) STATEMENT: The PRA (44 U.S.C. 3501 et seq. Requires us to inform you that we collect this information to obtain knowledge of equipment and procedures to be used in drilling operations. MMS uses the information to evaluate and approve or disapprove the adequacy of the equipment and/or procedures to safely perform the proposed drilling operation. Responses are mandatory (43 U.S.C. 1334). Proprietary data are covered under 30 CFR 250.196. An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB Control Number. Public reporting burden for this form is estimated to average 11/4 hours per response, including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding the burden estimate or any other aspect of this form to the Information Collection Clearance Officer, Mail Stop 4230, Minerals Management Service, 1849 C Street, N.W., Washington, DC 20240.