Lease P00241 Area	<b>a</b> LA <b>Block</b> 665	8 <b>We</b>	all Name A014	<b>ST</b> 00	<b>BP</b> 00	<b>Type</b> I	Development
Application Status	Approved	Operat	or 02531 DCOR	, L.L.C.			
Pay.gov	Ag	ency			Pay.gov		
Amount:	Tr	acking	<b>ID:</b> 764803244	95	Tracking	<b>ID:</b> 27	798S74
eneral Informat	ion						
API 043112016200	Appr	oval Dt	23-AUG-2023		Approve	d By	Carl Lakner
Submitted Dt 18-AUG	-2023 Well	Status	Completed		Water D	epth	188
Surface Lease P002	41 <b>Area</b>		LA		Block		6658
Approval Comments							
Correction Narrativ	7e						
Permit Primary Type	• Workover						
Permit Subtype(s)							
Artifical Lift							
Modify Perforation	IS						
Proposed or	Completed Work			]			
 peration Descripti	.on						
lanned work is to	install 5" inne	er line	r across the	existing	7" liner.		
rocedural Narrativ	<i>r</i> e						
The workover is bei	ng proposed due	e to ex	cessive sand	producti	on from A-	-14. Tł	ne proposed
program is to resto	ore sand control	l acros	s the existin				
program is to resto work will be perfor	ore sand control	l acros	s the existin				
program is to resto work will be perfor	ore sand control med with a conv 7alve	l acros	s the existin				
program is to resto work will be perfor Subsurface Safety V	ore sand control med with a conv <b>Talve</b> N/A	l acros	s the existin				
orogram is to resto work will be perfor Subsurface Safety N Type Installed	ore sand control med with a conv <b>Valve</b> N/A <b>ine</b>	l acros vention	s the existin al rig.				
orogram is to resto work will be perfor Subsurface Safety V Type Installed Feet below Mudl:	ore sand control mmed with a conv 7alve N/A ine ated Surface Pr	l acros vention	s the existin al rig.				
orogram is to resto work will be perfor Subsurface Safety W Type Installed Feet below Mudl: Maximum Anticip	ore sand control med with a conv Valve N/A ine ated Surface Pr Pressure (psi)	l acros vention essure 150	s the existin al rig. (psi) 500				
orogram is to resto work will be perfor Subsurface Safety V Type Installed Feet below Mudl: Maximum Anticip Shut-In Tubing	ore sand control mmed with a conv 7alve N/A ine ated Surface Pr Pressure (psi) ated Wellhead P	l acros vention essure 150 ressure	s the existin al rig. (psi) 500				
orogram is to resto work will be perfor Subsurface Safety V Type Installed Feet below Mudl: Maximum Anticip Shut-In Tubing I Maximum Anticip	ore sand control mmed with a conv 7alve N/A ine ated Surface Pr Pressure (psi) ated Wellhead P	l acros vention essure 150 ressure	s the existin al rig. (psi) 500				
orogram is to restor ork will be perfor subsurface Safety V Type Installed Feet below Mudl: Maximum Anticip Shut-In Tubing S Maximum Anticip Shut-In Wellhead	ore sand control mmed with a conv 7alve N/A ine ated Surface Pr Pressure (psi) ated Wellhead P	essure 150 ressure ) 150	s the existin al rig. (psi) 500	g slotte		ing a	
orogram is to restor york will be perfor Subsurface Safety V Type Installed Feet below Mudl: Maximum Anticip Shut-In Tubing : Maximum Anticip Shut-In Wellhead	ore sand control med with a conv Valve N/A ine ated Surface Pr Pressure (psi) ated Wellhead P d Pressure (psi Id	essure 150 ressure ) 150	s the existin al rig. (psi) 500 e (psi) 500	g slotte	d liner us	ing a	5" screen. Th
orogram is to restor york will be perfor Subsurface Safety V Type Installed Feet below Mudl: Maximum Anticip Shut-In Tubing : Maximum Anticip Shut-In Wellhead Rig Information Name DCOR RIG #7	ore sand control rmed with a conv Valve N/A ine ated Surface Pr Pressure (psi) ated Wellhead P d Pressure (psi Id 44	essure 150 ressure ) 150	s the existin al rig. (psi) 500 (psi) 500 (psi) 500	g slotte	d liner us	coa	5" screen. Th
orogram is to restor ork will be perfor Subsurface Safety V Type Installed Feet below Mudl: Maximum Anticip Shut-In Tubing S Maximum Anticip Shut-In Wellhead Rig Information Name DCOR RIG #7	ore sand control rmed with a conv Valve N/A ine ated Surface Pr Pressure (psi) ated Wellhead P d Pressure (psi Id 44	essure 150 ressure ) 150	s the existin al rig. (psi) 500 (psi) 500 (psi) 500	g slotte	d liner us BS Date	coa	5" screen. Th
orogram is to restored ork will be perfored ubsurface Safety W Type Installed Feet below Mudla Maximum Anticip Shut-In Tubing a Maximum Anticip Shut-In Wellhead Cig Information Name DCOR RIG #7 Slowout Prevented	ore sand control med with a conv Valve N/A ine ated Surface Pr Pressure (psi) ated Wellhead P d Pressure (psi Id 44	essure 150 ressure ) 150	s the existin al rig. (psi) 500 e (psi) 500 Type PLATFORM ing Pressure	g slotte A Tes	d liner us BS Date st Pressur	coa	5" screen. Th
orogram is to restor fork will be perfor subsurface Safety V Type Installed Feet below Mudl: Maximum Anticip Shut-In Tubing Shut-In Tubing Shut-In Wellhead Rig Information Name DCOR RIG #7 Slowout Prevente Preventer	ore sand control med with a conv Valve N/A ine ated Surface Pr Pressure (psi) ated Wellhead P d Pressure (psi Id 44 ers Size	essure 150 ressure ) 150 502 Work	s the existin al rig. (psi) 500 (psi) 500 (psi) 500 Type PLATFORM ing Pressure	g slotte A Tes Low	d liner us BS Date st Pressur High	coa	5" screen. Th
orogram is to restor for will be perfor Subsurface Safety V Type Installed Feet below Mudl: Maximum Anticip Shut-In Tubing : Maximum Anticip Shut-In Wellhead Rig Information Name DCOR RIG #7 Slowout Prevente Preventer Rams Annular	ore sand control med with a conv Valve N/A ine ated Surface Pr Pressure (psi) ated Wellhead P d Pressure (psi Id 44 ers Size 13-3/8	essure 150 ressure ) 150 502 Work 3000 3000	s the existin al rig. (psi) 500 (psi) 500 <b>Type</b> PLATFORM ing Pressure	g slotte A Tes Low 250	d liner us BS Date st Pressur High 1000	coa	5" screen. Th
orogram is to restor ork will be perfor Subsurface Safety V Type Installed Feet below Mudl: Maximum Anticip Shut-In Tubing : Maximum Anticip Shut-In Wellhead Rig Information Name DCOR RIG #7 Blowout Preventer Rams Annular Date Commencing Wor	ore sand control med with a conv valve N/A ine ated Surface Pr Pressure (psi) ated Wellhead P d Pressure (psi Id 44 ers Size 13-3/8 ck (mm/dd/yyyy)	essure 150 ressure ) 150 502 Work 3000 3000 28-SEP	s the existin al rig. (psi) 500 (psi) 500 Type PLATFORM ing Pressure	g slotte A Tes Low 250	d liner us BS Date st Pressur High 1000	coa	5" screen. Th
orogram is to restor ork will be perfor Subsurface Safety V Type Installed Feet below Mudl: Maximum Anticip Shut-In Tubing : Maximum Anticip Shut-In Wellhead Rig Information Name DCOR RIG #7 Blowout Prevente Preventer Rams Annular Date Commencing Wor Estimated duration	ore sand control med with a conv Valve N/A ine ated Surface Pr Pressure (psi) ated Wellhead P d Pressure (psi Id 44 ers Size 13-3/8 ck (mm/dd/yyyy) of the operatio	essure 150 ressure ) 150 502 Work 3000 3000 28-SEP	s the existin al rig. (psi) 500 (psi) 500 Type PLATFORM ing Pressure	g slotte A Tes Low 250	d liner us BS Date st Pressur High 1000	coa	5" screen. Th
orogram is to restor ork will be perfor subsurface Safety V Type Installed Feet below Mudl: Maximum Anticip Shut-In Tubing : Maximum Anticip Shut-In Wellhead Cig Information Name DCOR RIG #7 Blowout Prevente Preventer Rams Annular Other Commencing Wor Stimated duration Verbal Approval Official	ore sand control med with a conv Valve N/A ine ated Surface Pr Pressure (psi) ated Wellhead P d Pressure (psi Id 44 ers Size 13-3/8 ck (mm/dd/yyyy) of the operatio	essure 150 ressure ) 150 502 Work 3000 3000 28-SEP	s the existin al rig. (psi) 500 (psi) 500 Type PLATFORM ing Pressure	g slotte A Tes Low 250 250	d liner us BS Date st Pressur High 1000	coa	5" screen. Th
orogram is to restor ork will be perfor Subsurface Safety V Type Installed Feet below Mudl: Maximum Anticip Shut-In Tubing : Maximum Anticip Shut-In Wellhead Rig Information Name DCOR RIG #7 Blowout Preventer Rams Annular Date Commencing Wor Estimated duration Verbal Approval	ore sand control med with a conv Valve N/A ine ated Surface Pr Pressure (psi) ated Wellhead P d Pressure (psi Id 44 ers Size 13-3/8 ck (mm/dd/yyyy) of the operatio	essure 150 ressure ) 150 502 Work 3000 3000 28-SEP	s the existin al rig. (psi) 500 (psi) 500 (psi) 500 Type PLATFORM ing Pressure -2023 s) 7	g slotte A Tes Low 250 250	d liner us BS Date st Pressur High 1000 1000	coa	5" screen. Th

23-JUL-2024 15:00:54 PM

#### **U.S. Department of the Interior** Bureau of Safety and Environmental

Enforcement (BSEE)

## Application for Permit to Modify (APM)

)uest	uestions								
Numbe	er Question	Response	Response Text						
A	Is H2S present in the well? If yes, then comment on the inclusion of a Contingency Plan for this operation.	NO							
В	Is this proposed operation the only lease holding activity for the subject lease? If yes, then comment.	NO							
С	Will all wells in the well bay and related production equipment be shut-in when moving on to or off of an offshore platform, or from well to well on the platform? If not, please explain.	NO	Per field rules, solid deck between drill deck and production deck						
D	If sands are to be commingled for this completion, has approval been obtained?	NO							
E	Will the completed interval be within 500 feet of a block line? If yes, then comment.	NO							
F	For permanent abandonment, will casings be cut 15 feet below the mudline? If no, then comment.	N/A							
G	Will you ensure well-control fluids, equipment, and operations be designed, utilized, maintained, and/or tested as necessary to control the well in foreseeable conditions and circumstances, including subfreezing conditions?	YES							
Η	Will digital BOP testing be used for this operation? If "yes", state which version in the comment box?	NO							
I	Is this APM being submitted to remediate sustained casing pressure (SCP)? If "yes," please specify annulus in the comment box. If you have been given a departure/denial for SCP, include in the attachments.	NO							

Applica	ation Status Approved Operato	r 02531 DC	OR, L.L.C.		
uest					
-	r Question	Response	Response Text	-	
J	Are you pulling tubulars and/or casing with a crane? If "YES" have documentation on how you will verify the load is free per API RP 2D. This documentation must be maintained by the lessee at the lessee's field office.	NO			
ĸ	Will the proposed operation be covered by an EPA Discharge Permit? (Please provide permit number comments for this question).	N/A			
L	Will you be using multiple size work string/ tubing/coil tubing/snubbing/wireline? If yes, attach a list of all sizes to be used including the size, weight, and grade.	NO			
M	For both surface and subsea operations, are you utilizing a dynamically positioned vessel and/or non-bottom supported vessel at any time during this operation?	NO			
	IA	TACHMENT	S		
'ile Ty					
df	Platform A Al4 Line	-	re		
df	BOPE - CoC for Annu	ular			
df	BOPE - CoC for Doub	ole Gate			
df	Rig/Coil Tubing/Snu	ubbing Uni	t BOP Schemat	ic	
df	Proposed Wellbore S	Schematic			
df	Current Wellbore So	chematic			
df	Platform A Well Cor	ntrol Plan			
df	Platform A field ru	ules			
df	Platform A 3rd part	ty BOPE ve	rification-fi	nal	
df	A14 Payment confirm	mation			
		CONTACTS			
Name	Matthew Cardona				
Compan	ly .				
_	Number 3232061501				
	1 Address mcardona@dcorllc.co	Om			
		0			

CERTIFICATION: I certify that information submitted is complete and accurate to the best of my knowledge. I understand that making a false statement may subject me to ci

Date

Name and Title

Matt Cardona, Senior Production Engineer

18-AUG-2023

PAPERWORK REDUCTION ACT OF 1995 (PRA) STATEMENT: The PRA (44 U.S.C. 3501 et seq. Requires us to inform you that we collect this information to obtain knowledge of equipment and procedures to be used in drilling operations. MMS uses the information to evaluate and approve or disapprove the adequacy of the equipment and/or procedures to safely perform the proposed drilling operation. Responses are mandatory (43 U.S.C. 1334). Proprietary data are covered under 30 CFR 250.196. An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB Control Number. Public reporting burden for this form is estimated to average 11/4 hours per response, including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding the burden estimate or any other aspect of this form to the Information Collection Clearance Officer, Mail Stop 4230, Minerals Management Service, 1849 C Street, N.W., Washington, DC 20240.

<b>Lease</b> P00241	Area LA	Block	6658	Well	Name	A014	<b>ST</b> 00	<b>BP</b> 00	<b>Type</b> Development
Application Sta	atus Appro	oved	Ope	rator	02531	DCOR,	L.L.C.		

Variances Requested for this Permit

<b>Lease</b> P00241	Area LA	Block	6658 Well	Name	A014	<b>ST</b> 00	<b>BP</b> 00	<b>Type</b> Development
Application St	atus Appro	oved	Operator	02531	DCOR,	L.L.C.		