Application Status App	roved	Opera	<b>tor</b> 03126 Beta	uperating	g Company.	LLC	
Pay.gov		Agency			?ay.gov		
Amount: \$145.00			<b>J ID:</b> EWL-APM-2		Tracking II	<b>D:</b> 278K	7ET8
eneral Information	ı						
API 043122013800	App	proval D	t 18-OCT-2023		Approved	By Ca	rl Lakner
Submitted Dt 18-OCT-202	3 Wel	ll Statu	<b>s</b> Completed		Water Dep	<b>5th</b> 70	0
Surface Lease P00301	Are	ea	LB		Block	64	88
pproval Comments							
orrection Narrative							
ermit Primary Type Wor	rkover						
ermit Subtype(s)							
Other Workover							
Proposed or Com	pleted Wor	k					
peration Description							
his Procedure details ubing, run a new ESP, ine will be run.		-					
rocedural Narrative							
	nline in A	pril, 2	023 but it gro	und faulte	ed on 10/16	5/23.	
his workover will pul SP, and return the we	l the curr ll to prod	ent ESP	Production Eq	uipment, 1	rerun the t	tubing	
his workover will pul SP, and return the we	l the curr ll to prod <b>e</b>	ent ESP	Production Eq	uipment, 1	rerun the t	tubing	
This workover will pull SSP, and return the we Subsurface Safety Valve	l the curr <u>ll to prod</u> <b>e</b> SV	ent ESP	Production Eq	uipment, 1	rerun the t	tubing	
This workover will pul SP, and return the we Subsurface Safety Valve Type Installed SCS	l the curr ll to prod <b>e</b> SV 247	ent ESP uction.	Production Eq A 3/8" cap l	uipment, 1	rerun the t	tubing	
This workover will pull SP, and return the we Subsurface Safety Valve Type Installed SCS Feet below Mudline	l the curr <u>11 to prod</u> e SV 247 I <b>Surface I</b>	ent ESP uction. Pressure	Production Eq A 3/8" cap l	uipment, 1	rerun the t	tubing	
This workover will pul SP, and return the we Subsurface Safety Valve Type Installed SCS Feet below Mudline Maximum Anticipated	l the curr ll to prod s SV 247 Surface H sure (psi)	ent ESP uction. Pressure	Production Eq A 3/8" cap 1 e (psi) 1400	uipment, 1	rerun the t	tubing	
his workover will pull SP, and return the wei ubsurface Safety Valve Type Installed SCS Feet below Mudline Maximum Anticipated Shut-In Tubing Pres Maximum Anticipated Shut-In Wellhead Pr	l the curr <u>ll to prod</u> SV 247 Surface H sure (psi)	ent ESP uction. Pressure Pressure	Production Eq A 3/8" cap 1 e (psi) 1400	uipment, 1	rerun the t	tubing	
This workover will pull SP, and return the well Subsurface Safety Valve Type Installed SCS Feet below Mudline Maximum Anticipated Shut-In Tubing Pres Maximum Anticipated Shut-In Wellhead Pr	l the curr <u>ll to prod</u> SV 247 Surface H sure (psi)	ent ESP uction. Pressure Pressure	Production Eq A 3/8" cap 1 e (psi) 1400	uipment, 1	rerun the t	tubing	
This workover will pull SP, and return the well Subsurface Safety Valve Type Installed SCS Feet below Mudline Maximum Anticipated Shut-In Tubing Pres Maximum Anticipated	l the curr ll to prod s SV 247 l Surface H sure (psi) l Wellhead essure (ps	ent ESP uction. Pressure Pressure	Production Eq A 3/8" cap 1 e (psi) 1400	uipment, n ine and ¼'	rerun the t	tubing line wi	
his workover will pull SP, and return the well ubsurface Safety Valve Type Installed SCS Feet below Mudline Maximum Anticipated Shut-In Tubing Pres Maximum Anticipated Shut-In Wellhead Pr Cig Information Name BETA RIG #2	l the curr ll to prod s SV 247 l Surface H sure (psi) l Wellhead essure (ps	ent ESP uction. Pressure Pressur si) Id	Production Eq A 3/8" cap 1 e (psi) 1400 re (psi) 1400 Type	uipment, n ine and ¼ h AB:	cerun the t	tubing line wi	ill be run.
his workover will pull SP, and return the weil ubsurface Safety Valve Type Installed SCS Feet below Mudline Maximum Anticipated Shut-In Tubing Press Maximum Anticipated Shut-In Wellhead Pr Shut-In Wellhead Pr Lig Information Name BETA RIG #2 Clowout Preventers	l the curr ll to prod s SV 247 l Surface H sure (psi) l Wellhead essure (ps	ent ESP uction. Pressure Pressure i) Id 36006	Production Eq A 3/8" cap 1 e (psi) 1400 re (psi) 1400 Type PLATFORM	uipment, n ine and ¼ h AB:	S Date	tubing line wi	ill be run.
his workover will pull SP, and return the well ubsurface Safety Valve Type Installed SCS Feet below Mudline Maximum Anticipated Shut-In Tubing Pres Maximum Anticipated Shut-In Wellhead Pr ig Information Name BETA RIG #2 Clowout Preventers Preventer	l the curr ll to prod s SV 247 l Surface I sure (psi) l Wellhead essure (ps	ent ESP uction. Pressure Pressure i) Id 36006	Production Eq A 3/8" cap 1 (psi) 1400 re (psi) 1400 Type PLATFORM king Pressure	uipment, n ine and ¼' AB: Test	cerun the t	tubing line wi	ill be run.
his workover will pull SP, and return the well ubsurface Safety Valve Type Installed SCS Feet below Mudline Maximum Anticipated Shut-In Tubing Press Maximum Anticipated Shut-In Wellhead Pr ig Information Name BETA RIG #2 lowout Preventers Preventer Rams	l the curr ll to prod sv 247 Surface H sure (psi) Wellhead essure (ps Size	ent ESP uction. Pressure Pressur si) Id 36006 Worl	Production Eq A 3/8" cap 1 e (psi) 1400 re (psi) 1400 Type PLATFORM king Pressure 0	uipment, n ine and ¼' AB: Test Low	5 Date Pressure High	tubing line wi	ill be run.
his workover will pull SP, and return the well ubsurface Safety Valve Type Installed SCS Feet below Mudline Maximum Anticipated Shut-In Tubing Pres Maximum Anticipated Shut-In Wellhead Pr ig Information Name BETA RIG #2 lowout Preventers Preventer Rams Annular	l the curr ll to prod sv 247 l Surface H sure (psi) l Wellhead essure (ps Size 2x5	Pressure Pressure Pressure Mori 36006 Worl 5000	Production Eq A 3/8" cap 1 (psi) 1400 re (psi) 1400 Type PLATFORM king Pressure 0	uipment, n ine and ¼' AB: Test Low 250	S Date Pressure High 2350	tubing line wi	ill be run.
his workover will pull SP, and return the well ubsurface Safety Valve Type Installed SCS Feet below Mudline Maximum Anticipated Shut-In Tubing Press Maximum Anticipated Shut-In Wellhead Pr ig Information Name BETA RIG #2 lowout Preventers Preventer Rams Annular ate Commencing Work (n	l the curr ll to prod SV 247 l Surface I sure (psi) l Wellhead essure (ps Size 2x5 mm/dd/yyyy	ent ESP uction. Pressure Pressure i) Id 36006 Worl 500 500	Production Eq A 3/8" cap 1 e (psi) 1400 re (psi) 1400 Type PLATFORM king Pressure 0 0 T-2023	uipment, n ine and ¼' AB: Test Low 250	S Date Pressure High 2350	tubing line wi	ill be run.
his workover will pull SP, and return the well ubsurface Safety Valve Type Installed SCS Feet below Mudline Maximum Anticipated Shut-In Tubing Pres Maximum Anticipated Shut-In Wellhead Pr ig Information Name BETA RIG #2 lowout Preventers Preventer Rams Annular ate Commencing Work (noted)	l the curr ll to prod SV 247 Surface I sure (psi) Wellhead essure (psi) Size 2x5 mm/dd/yyyy the operat	Pressure Pressure Pressure i) Id 36006 Worl 500 500 500	Production Eq A 3/8" cap 1 e (psi) 1400 re (psi) 1400 Type PLATFORM king Pressure 0 0 T-2023	uipment, n ine and ¼' AB: Test Low 250	S Date Pressure High 2350	tubing line wi	ill be run.
This workover will pull SP, and return the well subsurface Safety Valve Type Installed SCS Feet below Mudline Maximum Anticipated Shut-In Tubing Pres Maximum Anticipated Shut-In Wellhead Pr Rig Information Name	l the curr ll to prod SV 247 Surface I sure (psi) Wellhead essure (psi) Size 2x5 mm/dd/yyyy the operat	Pressure Pressure Pressure i) Id 36006 Worl 500 500 500	Production Eq A 3/8" cap 1 e (psi) 1400 re (psi) 1400 Type PLATFORM king Pressure 0 0 T-2023	uipment, n ine and ¼' AB: Test Low 250 250	S Date Pressure High 2350	tubing line wi	ill be run.

BSEE FORM BSEE-0124

23-JUL-2024 14:50:05 PM

#### **U.S. Department of the Interior** Bureau of Safety and Environmental

Enforcement (BSEE)

# Application for Permit to Modify (APM)

Applic	vestions							
uestions Number Question Response Response Text								
A	Is H2S present in the well? If yes, then comment on the inclusion of a Contingency Plan for this operation.	NO						
B	Is this proposed operation the only lease holding activity for the subject lease? If yes, then comment.	NO						
С	Will all wells in the well bay and related production equipment be shut-in when moving on to or off of an offshore platform, or from well to well on the platform? If not, please explain.	N/A						
D	If sands are to be commingled for this completion, has approval been obtained?	N/A						
E	Will the completed interval be within 500 feet of a block line? If yes, then comment.	NO						
F	For permanent abandonment, will casings be cut 15 feet below the mudline? If no, then comment.	N/A						
G	Will you ensure well-control fluids, equipment, and operations be designed, utilized, maintained, and/or tested as necessary to control the well in foreseeable conditions and circumstances, including subfreezing conditions?	YES						
H	Will digital BOP testing be used for this operation? If "yes", state which version in the comment box?	NO						
I	Is this APM being submitted to remediate sustained casing pressure (SCP)? If "yes," please specify annulus in the comment box. If you have been given a departure/denial for SCP, include in the attachments.	NO						

)uesti	ons		
-	Question	Response	Response Text
J	Are you pulling tubulars and/or casing with a crane? If "YES" have documentation on how you will verify the load is free per API RP 2D. This documentation must be maintained by the lessee at the lessee's field office.	NO	
ĸ	Will the proposed operation be covered by an EPA Discharge Permit? (Please provide permit number comments for this question).		
L	Will you be using multiple size work string/ tubing/coil tubing/snubbing/wireline? If yes, attach a list of all sizes to be used including the size, weight, and grade.	NO	
M	For both surface and subsea operations, are you utilizing a dynamically positioned vessel and/or non-bottom supported vessel at any time during this operation?		
	A	<b>TTACHMEN</b>	S
<b>'ile Ty</b> df	pe File Description Well Test Informat	ion	
odf Proposed Wellbore S		Schematic	
odf Current Wellbore Sc		chematic	
pdf Deviation Survey wi		ith Dog Le	g Severity
odf	Workover Program		
odf	Eureka BOP Data 1	of 4	
odf	Eureka BOP Data 2	of 4	
odf	Eureka BOP Data 3	of 4	
df	Eureka BOP Data 4	of 4 NEW B	SR Certs
		CONTACTS	
Name	Rebecca Altemus		
Company	Beta Operating Com	pany, LLC	
Phone I			

Rebecca Alternus, Senior Staff Reservoir Eng

CERTIFICATION: I certify that information submitted is complete and accurate to the best of my knowledge. I understand that making a false statement may subject me to ci

Name and Title

Date

18-OCT-2023

PAPERWORK REDUCTION ACT OF 1995 (PRA) STATEMENT: The PRA (44 U.S.C. 3501 et seq. Requires us to inform you that we collect this information to obtain knowledge of equipment and procedures to be used in drilling operations. MMS uses the information to evaluate and approve or disapprove the adequacy of the equipment and/or procedures to safely perform the proposed drilling operation. Responses are mandatory (43 U.S.C. 1334). Proprietary data are covered under 30 CFR 250.196. An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB Control Number. Public reporting burden for this form is estimated to average 11/4 hours per response, including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding the burden estimate or any other aspect of this form to the Information Collection Clearance Officer, Mail Stop 4230, Minerals Management Service, 1849 C Street, N.W., Washington, DC 20240.

Lease P00301Area LBBlock 6488Well NameC034ST 00BP 00Type DevelopmentApplication Status ApprovedOperator 03126Beta Operating Company, LLC

Variances Requested for this Permit

Lease P00301Area LBBlock 6488Well NameC034ST 00BP 00Type DevelopmentApplication Status ApprovedOperator 03126Beta Operating Company, LLC