7

Page:

1

of

Application for Permit to Modify (APM)

		T 02 BP 02 Type Development
Application Status Approved	Operator 02531 DCOR, L.L	.C.
Pay.gov	Agency	Pay.gov
Amount:	Tracking ID: 76784401106	Tracking ID: 27GB9LK9
General Information		
API 043112064202	Approval Dt 05-AUG-2024	Approved By Carl Lakner
Submitted Dt 25-JUL-2024	Well Status Completed	Water Depth 203
Surface Lease P00216	Area LA	Block 6862
Approval Comments		
Correction Narrative		
Permit Primary Type Workover	?	
Permit Subtype(s)		
Acidize		
Artifical Lift		
Change Tubing		
X Proposed or Completed	l Work	
Operation Description		
hammad 1		
Procedural Narrative	n the completion and install an	
Procedural Narrative The workover is being propose proposed program involves ki	sed due to a failure of the ESP illing the well, pulling the pronew ESP completion. The work w	artificial lift equipment. The oduction string, acid washing the
Procedural Narrative The workover is being propose proposed program involves kincompletion, then running a reconventional rig with wireling	sed due to a failure of the ESP illing the well, pulling the pronew ESP completion. The work w	artificial lift equipment. The oduction string, acid washing the ill be performed with a
Procedural Narrative The workover is being proposed program involves kincompletion, then running a reconventional rig with wirely Acid Cleanup Calculations (for SB4 Formula)	sed due to a failure of the ESP illing the well, pulling the pronew ESP completion. The work wine support as needed. for further details, see attached at inches / 2)^2) x 3.14159 x 12	artificial lift equipment. The oduction string, acid washing the ill be performed with a ed acid procedure)
Procedural Narrative The workover is being proposed program involves kincompletion, then running a reconventional rig with wireling Acid Cleanup Calculations (for SB4 Formula (((Size of drill bit diameter inches)^2 - (bit diameter in porosity) / 231 (inches^3/gas) SB4 with Variables (((12.25 inch bit diameter/2))	sed due to a failure of the ESP illing the well, pulling the pronew ESP completion. The work wine support as needed. for further details, see attached at inches that was used in the inches / 2)^2) x 3.14159 x 12 allon)	artificial lift equipment. The oduction string, acid washing the ill be performed with a ed acid procedure)
Procedural Narrative The workover is being propose proposed program involves kincompletion, then running a reconventional rig with wireless. Acid Cleanup Calculations (for SB4 Formula (((Size of drill bit diameter in porosity) / 231 (inches^3/gas). SB4 with Variables (((12.25 inch bit diameter/2 (Inches/foot) x 0.300 treater).	sed due to a failure of the ESP illing the well, pulling the pronew ESP completion. The work wine support as needed. for further details, see attached at inches that was used in the inches / 2)^2) x 3.14159 x 12 allon)	artificial lift equipment. The oduction string, acid washing the ill be performed with a ed acid procedure) he treated zone / 2 + 36 inches x treated formation
Procedural Narrative The workover is being propose proposed program involves kincompletion, then running a reconventional rig with wirels Acid Cleanup Calculations (for SB4 Formula (((Size of drill bit diameter in porosity) / 231 (inches^3/gas) SB4 with Variables (((12.25 inch bit diameter/2 (Inches/foot) x 0.300 treater foot maximum	sed due to a failure of the ESP illing the well, pulling the pronew ESP completion. The work wine support as needed. for further details, see attached at inches that was used in the inches / 2)^2) x 3.14159 x 12 allon)	artificial lift equipment. The oduction string, acid washing the ill be performed with a ed acid procedure) he treated zone / 2 + 36 inches x treated formation
Procedural Narrative The workover is being propose proposed program involves king completion, then running a reconventional rig with wirels acid Cleanup Calculations (for SB4 Formula (((Size of drill bit diameter inches)^2 - (bit diameter inporosity) / 231 (inches^3/gas) SB4 with Variables (((12.25 inch bit diameter/2 (Inches/foot) x 0.300 treater foot maximum Subsurface Safety Valve	sed due to a failure of the ESP illing the well, pulling the pronew ESP completion. The work wine support as needed. for further details, see attached at inches that was used in the inches / 2)^2) x 3.14159 x 12 allon)	artificial lift equipment. The oduction string, acid washing the ill be performed with a ed acid procedure) he treated zone / 2 + 36 inches x treated formation
Procedural Narrative The workover is being propose proposed program involves kincompletion, then running a reconventional rig with wirels acid Cleanup Calculations (for SB4 Formula (((Size of drill bit diameter in porosity) / 231 (inches^3/gas) SB4 with Variables (((12.25 inch bit diameter/2 (Inches/foot) x 0.300 treater foot maximum Subsurface Safety Valve Type Installed SCSSV	sed due to a failure of the ESP illing the well, pulling the propertion. The work with the support as needed. for further details, see attached at inches that was used in the inches / 2)^2) x 3.14159 x 12 allon) 2 + 36 inches)^2-(12.25 inches led formation porosity) / 231 (inches details) / 231 (inches details)	artificial lift equipment. The oduction string, acid washing the ill be performed with a ed acid procedure) he treated zone / 2 + 36 inches x treated formation
Procedural Narrative The workover is being propose proposed program involves king completion, then running a reconventional rig with wirels acid Cleanup Calculations (for SB4 Formula (((Size of drill bit diameter inches)^2 - (bit diameter inporosity) / 231 (inches^3/gas) SB4 with Variables (((12.25 inch bit diameter/2 (Inches/foot) x 0.300 treater foot maximum Subsurface Safety Valve Type Installed SCSSV Feet below Mudline 377	sed due to a failure of the ESP illing the well, pulling the pronew ESP completion. The work wine support as needed. for further details, see attached at inches that was used in the inches / 2)^2) x 3.14159 x 12 allon) 2 + 36 inches)^2-(12.25 inches led formation porosity) / 231 (inches details) / 231 (inches led formation porosity)	artificial lift equipment. The oduction string, acid washing the ill be performed with a ed acid procedure) he treated zone / 2 + 36 inches x treated formation
Procedural Narrative The workover is being propose proposed program involves kincompletion, then running a reconventional rig with wirels acid Cleanup Calculations (for SB4 Formula (((Size of drill bit diameter in porosity) / 231 (inches^3/gas) SB4 with Variables (((12.25 inch bit diameter/2 (Inches/foot) x 0.300 treater foot maximum Subsurface Safety Valve Type Installed SCSSV Feet below Mudline 377 Maximum Anticipated Surf	sed due to a failure of the ESP illing the well, pulling the propertion. The work with the support as needed. for further details, see attached at inches that was used in the inches / 2)^2) x 3.14159 x 12 allon) 2 + 36 inches)^2-(12.25 inches led formation porosity) / 231 (inches details) / 231 (inches)	artificial lift equipment. The oduction string, acid washing the ill be performed with a ed acid procedure) he treated zone / 2 + 36 inches x treated formation

Application for Permit to Modify (APM)

Lease P00216 Well Name S091 **Block** 6862 **ST** 02 **BP** 02 Type Development Application Status Approved Operator 02531 DCOR, L.L.C.

Rig Information

Name ABS Date Coast Guard Date IdType

DCOR 455 100055 PLATFORM

Blowout Preventers --- Test Pressure ---Preventer Size Working Pressure High Low Rams 13-5/8 5000 250 3000 Annular 5000 250 3000

Date Commencing Work (mm/dd/yyyy) 15-AUG-2024

Estimated duration of the operation (days) 9

Verbal Approval Information

Official Date (mm/dd/yyyy)

Questi		_	
	Question	Response	Response Text
A	Is H2S present in the well? If yes, then comment on the inclusion of a Contingency Plan for this operation.	YES	H2S Contingency plan is in place. H2S cascade system is installed and operational. H2S detection systems are installed and operational.
B	Is this proposed operation the only lease holding activity for the subject lease? If yes, then comment.	NO	
С	Will all wells in the well bay and related production equipment be shut-in when moving on to or off of an offshore platform, or from well to well on the platform? If not, please explain.	NO	Solid, steel deck between drill deck and well bays, per field rules no well shut in required.
D	If sands are to be commingled for this completion, has approval been obtained?	N/A	
E	Will the completed interval be within 500 feet of a block line? If yes, then comment.	N/A	
F	For permanent abandonment, will casings be cut 15 feet below the mudline? If no, then comment.	N/A	
G	Will you ensure well-control fluids, equipment, and operations be designed, utilized, maintained, and/or tested as necessary to control the well in foreseeable conditions and circumstances, including subfreezing conditions?	YES	See attached DCOR well control plan

Application for Permit to Modify (APM)

ease P	00216 Area LA Block 6862 Wel	1 Name SO	91 ST 02	BP 02	Type Development
pplica	tion Status Approved Operato	or 02531 DO	COR, L.L.C.		
uesti	ons.				
	Question	Response	Response Te	xt	
н	Will digital BOP testing be used for this operation? If "yes", state which version in the comment box?	N/A			
I	Is this APM being submitted to remediate sustained casing pressure (SCP)? If "yes," please specify annulus in the comment box. If you have been given a departure/denial for SCP, include in the attachments.	N/A			
J	Are you pulling tubulars and/or casing with a crane? If "YES" have documentation on how you will verify the load is free per API RP 2D. This documentation must be maintained by the lessee at the lessee's field office.	NO			
K	Will the proposed operation be covered by an EPA Discharge Permit? (Please provide permit number comments for this question).	NO			
L	Will you be using multiple size work string/ tubing/coil tubing/snubbing/wireline? If yes, attach a list of all sizes to be used including the size, weight, and grade.	YES	See attached	l workov	er procedure
M	For both surface and subsea operations, are you utilizing a dynamically positioned vessel and/or non-bottom supported vessel at any time during this operation?	NO			
<u> </u>	AT	TACHMENT	rs		
file Ty odf	rpe File Description Well S-91 CER				
pdf	Proof of APM Paymen	nt			
odf	Rig/Coil Tubing/Sn	ubbing Uni	t BOP Schema	tic	
odf	Proposed Wellbore Schematic				
pdf	Current Wellbore Schematic				

pdf

pdf

pdf pdf

3rd Party BOPE Certification Initial

Gilda Field Rules

Gilda Well Control Plan Shear Test Certification

7

of

Page:

Application for Permit to Modify (APM)

Lease P00216 Are	a LA Block 6862	Well Name	S091	ST 02	BP 02	Type Development
Application Status	Approved	Operator 02531	DCOR,	L.L.C.		
pdf	Acid Proced	are with SB4 De	etails			
pdf	Workover Pro	ocedure and We	ll Info	rmation		
		CONTAC	TS			
Name	Carlo De La	Rosa				
Company	DCOR, L.L.C					
Phone Number 805-535-2026						
E-mail Address	CDeLaRosa@d	corllc.com				
Contact Description	on					

CERTIFICATION: I certify that information submitted is complete and accurate to the best of my knowledge. I understand that making a false statement may subject me to careful the statement of the careful that making a false statement may subject me to careful the statement of t

Name and Title Date

Carlo De La Rosa , Production Engineer 25-JUL-2024

PAPERWORK REDUCTION ACT OF 1995 (PRA) STATEMENT: The PRA (44 U.S.C. 3501 et seq. Requires us to inform you that we collect this information to obtain knowledge of equipment and procedures to be used in drilling operations. MMS uses the information to evaluate and approve or disapprove the adequacy of the equipment and/or procedures to safely perform the proposed drilling operation. Responses are mandatory (43 U.S.C. 1334). Proprietary data are covered under 30 CFR 250.196. An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB Control Number. Public reporting burden for this form is estimated to average 11/4 hours per response, including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding the burden estimate or any other aspect of this form to the Information Collection Clearance Officer, Mail Stop 4230, Minerals Management Service, 1849 C Street, N.W., Washington, DC 20240.

U.S. Department of the Interior Bureau of Safety and Environmental Enforcement (BSEE)

Application for Permit to Modify (APM)

Lease P00216 Area LA Block 6862 Well Name S091 ST 02 BP 02 Type Development

Application Status Approved Operator 02531 DCOR, L.L.C.

Variances Requested for this Permit

Variance Status: APPROVED

Variance Type: Alternate Compliance

Variance Title: Cutting Device Alternative Compliance

Regulation Number: 30 CFR 250.733(a)

Oper. Justification: Per DCOR's Well Control Plan for Platform Gilda Flowing Wells, an

alternative cutting device capable of shearing all planned

auxiliary lines and ESP cable will be present on the rig floor at

Variance Date: all times. Shear test provided does not demonstrate the

capability to shear associated exterior lines, nor does it

demonstrate the inability to shear associated exterior lines.

BSEE Decision

Remarks:

Approved

05-AUG-24

Electronically generated on 10/08/2024 Page 5 of 7

U.S. Department of the InteriorBureau of Safety and Environmental Enforcement (BSEE)

Application for Permit to Modify (APM)

Lease P00216 Area LA Block 6862 Well Name S091 ST 02 BP 02 Type Development Application Status Approved Operator 02531 DCOR, L.L.C.

Existing Variances

No previously approved variances exist for this permit

U.S. Department of the Interior Bureau of Safety and Environmental Enforcement (BSEE)

Application for Permit to Modify (APM)

Lease P00216 Area LA **Block** 6862 Well Name S091 **ST** 02 **BP** 02 Type Development Application Status Approved Operator 02531 DCOR, L.L.C.

Reviews

Review: APM - District Production Engineering Review

Sent: 05-AUG-24 Review Started: 05-AUG-24 Review Finished: 05-AUG-24

Info Adequate: Υ

Review Remarks:

Review: **BOP Control System Drawing Review**

Sent: 05-AUG-24 Review Started: 05-AUG-24 Review Finished: 05-AUG-24

Info Adequate:

Review Remarks:

Review: Determination of NEPA Adequacy

Sent: 26-JUL-24 Review Started: 26-JUL-24 Review Finished: 26-JUL-24 Υ

Info Adequate:

BSEE Form BSEE-0123

Review Remarks: