Lease P00301 Area LB Block 6488 Well Name A050 ST 01 BP 00 Type Development Application Status Approved Operator 03126 Beta Operating Company, LLC Pay.gov Agency Pay.gov Amount: \$145.00 Tracking ID: EWL-APM-254716 Tracking ID: 27KBF049 General Information API 043122006501 Approval Dt 03-JAN-2025 Approved By John Kaiser Submitted Dt 27-DEC-2024 Well Status Completed Water Depth 265 Surface Lease P00300 Area LB Block 6438 Approval Comments Conditions of Approval: 1) All operations must be conducted in accordance with the OCS Lands Act (OCSLA), the leaterms and stipulations, the regulations of 30 CFR Part 250, Notices to Lessees and Operators (NTLs), the approved (revised) Application for Permit to Modify (APM/RPM), and any written instructions or orders of the District Manager. 2) A copy of this permit (including all attachments) must be kept on location and made available to inspectors upon request during the permitted operation. 3) All pressure containing equipment must be tested to the approved permitted pressure an recorded on the daily operations report. If well pressures exceed the SITP/MASP stated in the approved permit, the equipment in use must be tested at a minimum to the new observed pressure. The appropriate District must be immediately notified of this pressure change a RPM submitted to document the change. 4)Notify the Permitting Section at Least 72 hours in advance of beginning these approved operations AND of any required BOP tests AND of any plug testing or tagging. You MUST NOT proceed with these operations until an inspector can arrive to witness the testing OR the Permitting Section Chief or his designee waives the witnessing. 5) WAR reports are due no later than noon each Wednesday. Correction Narrative Permit Primary Type Workover Permit Subtype(s) Other Workover Proposed or Completed Work				
Pay.gov Amount: \$145.00 Tracking ID: EWL-APM-254716 Tracking ID: 27KBF049 General Information API 043122006501 Approval Dt 03-JAN-2025 Approved By John Kaiser Submitted Dt 27-DEC-2024 Well Status Completed Water Depth 265 Surface Lease P00300 Area LB Block 6438 Approval Comments Conditions of Approval: 1) All operations must be conducted in accordance with the OCS Lands Act (OCSLA), the leaterms and stipulations, the regulations of 30 CFR Part 250, Notices to Lessees and Operators (NTLs), the approved (revised) Application for Permit to Modify (APM/RPM), and any written instructions or orders of the District Manager. 2) A copy of this permit (including all attachments) must be kept on location and made available to inspectors upon request during the permitted operation. 3) All pressure containing equipment must be tested to the approved permitted pressure an recorded on the daily operations report. If well pressures exceed the SITP/MASP stated in the approved permit, the equipment in use must be tested at a minimum to the new observed pressure. The appropriate District must be immediately notified of this pressure change a RPM submitted to document the change. 4) Notify the Permitting Section at Least 72 hours in advance of beginning these approved operations AND of any required BOP tests AND of any plug testing or tagging. You MUST NOT proceed with these operations until an inspector can arrive to witness the testing OR the Permitting Section Chief or his designee waives the witnessing. 5) WAR reports are due no later than noon each Wednesday. Correction Narrative Proposed or Completed Work Proposed or				
General Information API 043122006501 Approval Dt 03-JAN-2025 Approved By John Kaiser Submitted Dt 27-DEC-2024 Well Status Completed Water Depth 265 Surface Lease P00300 Area LB Block 6438 Approval Comments Conditions of Approval: 1) All operations must be conducted in accordance with the OCS Lands Act (OCSLA), the leaterms and stipulations, the regulations of 30 CFR Part 250, Notices to Lessees and Operators (NTLs), the approved (revised) Application for Permit to Modify (APM/RPM), and any written instructions or orders of the District Manager. 2) A copy of this permit (including all attachments) must be kept on location and made available to inspectors upon request during the permitted operation. 3) All pressure containing equipment must be tested to the approved permitted pressure an recorded on the daily operations report. If well pressures exceed the SITP/MASP stated in the approved permit, the equipment in use must be tested at a minimum to the new observed pressure. The appropriate District must be immediately notified of this pressure change a RPM submitted to document the change. 4) Notify the Permitting Section at Least 72 hours in advance of beginning these approved operations AND of any required BOP tests AND of any plug testing or tagging. You MUST NOT proceed with these operations until an inspector can arrive to witness the testing OR the Permitting Section Chief or his designee waives the witnessing. 5) WAR reports are due no later than noon each Wednesday. Correction Narrative Permit Primary Type Workover				
General Information API 043122006501 Approval Dt 03-JAN-2025 Approved By John Kaiser Submitted Dt 27-DEC-2024 Well Status Completed Mater Depth 265 Surface Lease P00300 Area LB Block 6438 Approval Comments Conditions of Approval: 1) All operations must be conducted in accordance with the OCS Lands Act (OCSLA), the leaterms and stipulations, the regulations of 30 CFR Part 250, Notices to Lessees and Operators (NTLs), the approved (revised) Application for Permit to Modify (APM/RPM), and any written instructions or orders of the District Manager. 2) A copy of this permit (including all attachments) must be kept on location and made available to inspectors upon request during the permitted operation. 3) All pressure containing equipment must be tested to the approved permitted pressure an recorded on the daily operations report. If well pressures exceed the SITP/MASP stated in the approved permit, the equipment in use must be tested at a minimum to the new observed pressure. The appropriate District must be immediately notified of this pressure change a RPM submitted to document the change. 4)Notify the Permitting Section at Least 72 hours in advance of beginning these approved operations AND of any required BOP tests AND of any plug testing or tagging. You MUST NOT proceed with these operations until an inspector can arrive to witness the testing OR the Permitting Section Chief or his designee waives the witnessing. 5) WAR reports are due no later than noon each Wednesday. Correction Narrative Permit Primary Type Workover Permit Primary Type Workover Permit Subtype(s) Other Workover Proposed or				
API 043122006501 Approval Dt 03-JAN-2025 Approved By John Kaiser Submitted Dt 27-DEC-2024 Well Status Completed Water Depth 265 Surface Lease P00300 Area LB Block 6438 Approval Comments Conditions of Approval: 1) All operations must be conducted in accordance with the OCS Lands Act (OCSLA), the leaterms and stipulations, the regulations of 30 CFR Part 250, Notices to Lessees and Operators (NTLs), the approved (revised) Application for Permit to Modify (APM/RPM), and any written instructions or orders of the District Manager. 2) A copy of this permit (including all attachments) must be kept on location and made available to inspectors upon request during the permitted operation. 3) All pressure containing equipment must be tested to the approved permitted pressure an recorded on the daily operations report. If well pressures exceed the SITP/MASP stated in the approved permit, the equipment in use must be tested at a minimum to the new observed pressure. The appropriate District must be immediately notified of this pressure change a RPM submitted to document the change. 4)Notify the Permitting Section at Least 72 hours in advance of beginning these approved operations AND of any required BOP tests AND of any plug testing or tagging. You MUST NOT proceed with these operations until an inspector can arrive to witness the testing OR the Permitting Section Chief or his designee waives the witnessing. 5) WAR reports are due no later than noon each Wednesday. Correction Narrative Permit Primary Type Workover Permit Subtype(s) Other Workover X Proposed or Completed Work Operation Description				
Submitted Dt 27-DEC-2024 Well Status Completed Water Depth 265 Surface Lease P00300 Area LB Block 6438 Approval Comments Conditions of Approval: 1) All operations must be conducted in accordance with the OCS Lands Act (OCSLA), the leaterms and stipulations, the regulations of 30 CFR Part 250, Notices to Lessees and Operators (NTLs), the approved (revised) Application for Permit to Modify (APM/RPM), and any written instructions or orders of the District Manager. 2) A copy of this permit (including all attachments) must be kept on location and made available to inspectors upon request during the permitted operation. 3) All pressure containing equipment must be tested to the approved permitted pressure an recorded on the daily operations report. If well pressures exceed the SITP/MASP stated in the approved permit, the equipment in use must be tested at a minimum to the new observed pressure. The appropriate District must be immediately notified of this pressure change a RPM submitted to document the change. 4)Notify the Permitting Section at Least 72 hours in advance of beginning these approved operations AND of any required BOP tests AND of any plug testing or tagging. You MUST NOT proceed with these operations until an inspector can arrive to witness the testing OR the Permitting Section Chief or his designee waives the witnessing. 5) WAR reports are due no later than noon each Wednesday. **Correction Narrative** **Permit Primary Type Workover** **Permit Primary Type Workover** **Permit Subtype(s)* Other Workover** **E Proposed or **Completed Work** **Operation Description**				
Surface Lease P00300 Area LB Block 6438 Approval Comments Conditions of Approval: 1) All operations must be conducted in accordance with the OCS Lands Act (OCSLA), the leaterms and stipulations, the regulations of 30 CFR Part 250, Notices to Lessees and Operators (NTLs), the approved (revised) Application for Permit to Modify (APM/RPM), and any written instructions or orders of the District Manager. 2) A copy of this permit (including all attachments) must be kept on location and made available to inspectors upon request during the permitted operation. 3) All pressure containing equipment must be tested to the approved permitted pressure an recorded on the daily operations report. If well pressures exceed the SITP/MASP stated in the approved permit, the equipment in use must be tested at a minimum to the new observed pressure. The appropriate District must be immediately notified of this pressure change a RPM submitted to document the change. 4)Notify the Permitting Section at Least 72 hours in advance of beginning these approved operations AND of any required BOP tests AND of any plug testing or tagging. You MUST NOT proceed with these operations until an inspector can arrive to witness the testing OR the Permitting Section Chief or his designee waives the witnessing. 5) WAR reports are due no later than noon each Wednesday. **Correction Narrative** **Permit Primary Type Workover** **Permit Primary Type Workover** **Permit Subtype(s)* Other Workover** **E Proposed or **Completed Work** **Operation Description**				
Approval Comments Conditions of Approval: 1) All operations must be conducted in accordance with the OCS Lands Act (OCSLA), the lead terms and stipulations, the regulations of 30 CFR Part 250, Notices to Lessees and Operators (NTLs), the approved (revised) Application for Permit to Modify (APM/RPM), and any written instructions or orders of the District Manager. 2) A copy of this permit (including all attachments) must be kept on location and made available to inspectors upon request during the permitted operation. 3) All pressure containing equipment must be tested to the approved permitted pressure an recorded on the daily operations report. If well pressures exceed the SITP/MASP stated in the approved permit, the equipment in use must be tested at a minimum to the new observed pressure. The appropriate District must be immediately notified of this pressure change a RPM submitted to document the change. 4)Notify the Permitting Section at Least 72 hours in advance of beginning these approved operations AND of any required BOP tests AND of any plug testing or tagging. You MUST NOT proceed with these operations until an inspector can arrive to witness the testing OR the Permitting Section Chief or his designee waives the witnessing. 5) WAR reports are due no later than noon each Wednesday. Correction Narrative Permit Primary Type Workover Permit Primary Type Workover Permit Subtype(s) Other Workover K Proposed or Completed Work Operation Description				
Conditions of Approval: 1) All operations must be conducted in accordance with the OCS Lands Act (OCSLA), the leaterms and stipulations, the regulations of 30 CFR Part 250, Notices to Lessees and Operators (NTLs), the approved (revised) Application for Permit to Modify (APM/RPM), and any written instructions or orders of the District Manager. 2) A copy of this permit (including all attachments) must be kept on location and made available to inspectors upon request during the permitted operation. 3) All pressure containing equipment must be tested to the approved permitted pressure an recorded on the daily operations report. If well pressures exceed the SITP/MASP stated in the approved permit, the equipment in use must be tested at a minimum to the new observed pressure. The appropriate District must be immediately notified of this pressure change a RPM submitted to document the change. 4)Notify the Permitting Section at Least 72 hours in advance of beginning these approved operations AND of any required BOP tests AND of any plug testing or tagging. You MUST NOT proceed with these operations until an inspector can arrive to witness the testing OR the Permitting Section Chief or his designee waives the witnessing. 5) WAR reports are due no later than noon each Wednesday. Correction Narrative Permit Primary Type Workover Permit Subtype(s) Other Workover Permit Description Completed Work Completed Wo				
1) All operations must be conducted in accordance with the OCS Lands Act (OCSLA), the leaterms and stipulations, the regulations of 30 CFR Part 250, Notices to Lessees and Operators (NTLs), the approved (revised) Application for Permit to Modify (APM/RPM), and any written instructions or orders of the District Manager. 2) A copy of this permit (including all attachments) must be kept on location and made available to inspectors upon request during the permitted operation. 3) All pressure containing equipment must be tested to the approved permitted pressure an recorded on the daily operations report. If well pressures exceed the SITP/MASP stated in the approved permit, the equipment in use must be tested at a minimum to the new observed pressure. The appropriate District must be immediately notified of this pressure change a RPM submitted to document the change. 4)Notify the Permitting Section at Least 72 hours in advance of beginning these approved operations AND of any required BOP tests AND of any plug testing or tagging. You MUST NOT proceed with these operations until an inspector can arrive to witness the testing OR the Permitting Section Chief or his designee waives the witnessing. 5) WAR reports are due no later than noon each Wednesday. Correction Narrative Permit Primary Type Workover Permit Subtype(s) Other Workover Completed Work Complet				
Permit Subtype(s) Other Workover X Proposed or Completed Work Operation Description				
Permit Subtype(s) Other Workover X Proposed or Completed Work Operation Description				
Other Workover X Proposed or Completed Work Operation Description				
X Proposed or Completed Work Operation Description				
Operation Description				
Procedural Narrative				
During this workover the ESP will be pulled, and the wellbore will be cleaned out and acidized with 8000 gals (SB4 volume is 22,617 gals) using coil tubing. The ESP will be ru with a new assembly deeper in the well.				
SB4 Volume Calculation: 71.8 gals per foot over 315' of reservoir sand at a porosity of 26% yields an SB4 volume of 22,617 gallons.				
Job design calls for 8000 gals of DAD Acid.				
Subsurface Safety Valve Type Installed SCSSV				
Feet below Mudline 255				

Page:

1

of

8

Lease P00301 Area LB Block 6488 Well Name A050 ST 01 BP 00 Type Development

Application Status Approved Operator 03126 Beta Operating Company, LLC

Maximum Anticipated Surface Pressure (psi) 1400

Shut-In Tubing Pressure (psi)

Maximum Anticipated Wellhead Pressure (psi) 1400

Shut-In Wellhead Pressure (psi)

Rig Information

Name	Id	Type	ABS Date	Coast Guard Date
BETA RIG #1	36007	PLATFORM	01-JAN-2014	01-JAN-2014

Blowout Preventers			Test F	Pressure
Preventer	Size	Working Pressure	Low	High
Rams	2x5	5000	250	2350
Annular		5000	250	2350
Coil Tubing		10000	250	5000

Date Commencing Work (mm/dd/yyyy) 11-JAN-2025

Estimated duration of the operation (days) 8

Verbal Approval Information

Official Date (mm/dd/yyyy)

Questions					
Number	Question	Response	Response Text		
A	Is H2S present in the well? If yes, then comment on the inclusion of a Contingency Plan for this operation.	NO			
B	Is this proposed operation the only lease holding activity for the subject lease? If yes, then comment.	NO			
С	Will all wells in the well bay and related production equipment be shut-in when moving on to or off of an offshore platform, or from well to well on the platform? If not, please explain.	N/A			
D	If sands are to be commingled for this completion, has approval been obtained?	N/A			
E	Will the completed interval be within 500 feet of a block line? If yes, then comment.	NO			
F	For permanent abandonment, will casings be cut 15 feet below the mudline? If no, then comment.	N/A			

including subfreezing

Will digital BOP testing be used

for this operation? If "yes", state which version in the

Is this APM being submitted to remediate sustained casing

casing with a crane? If "YES" have documentation on how you will verify the load is free per API RP 2D. This documentation must be maintained by the lessee at the lessee's field office.

Will the proposed operation be

covered by an EPA Discharge Permit? (Please provide permit

Will you be using multiple size

number comments for this

work string/ tubing/coil
tubing/snubbing/wireline? If
yes, attach a list of all sizes
to be used including the size,

For both surface and subsea

operations, are you utilizing a dynamically positioned vessel and/or non-bottom supported vessel at any time during this

weight, and grade.

question).

pressure (SCP)? If "yes," please specify annulus in the comment box. If you have been given a departure/denial for SCP, include in the attachments.

Are you pulling tubulars and/or

conditions?

comment box?

Η

Application for Permit to Modify (APM)

Lease F	000301 Area LB	Block 6488	Wel	l Name	A050	ST 01	BP 00	Type Development
Application Status Approved Operato				r 03126	Beta	Operating	Compan	y, LLC
Questions								
Numbe:	r Question			Respon	se Re	sponse Tex	٤t	
G	Will you ensure	well-control		YES				
	fluids, equipme	nt, and						
	operations be d	esigned,						
	utilized, maint	ained, and/or						
	tested as neces	sary to contro	ol					
	the well in for	eseeable						
	conditions and	circumstances	,					

NO

NO

N/A

NO

NO

ATTACHMENTS

File Type File Description pdf Well A-50 CER

BSEE FORM BSEE-0124

operation?

03-JAN-2025 10:15:00 AM

Page: 3 of

Lease P00301 Area LB	Block 6488 Well Name A050 ST 01 BP 00 Type Development				
Application Status App	proved Operator 03126 Beta Operating Company, LLC				
pdf	Well Test Information				
pdf	Proposed Wellbore Schematic				
pdf	Current Wellbore Schematic				
pdf	Workover Program				
pdf	Deviation Survey				
pdf	Ellen BOP Data - Ann Prev 1				
pdf	Ellen BOP Data - Ann Prev 2				
pdf	Ellen BOP Data - DG Prev 1				
pdf	Ellen BOP Data - DG Prev 2				
pdf	Ellen BOP Data - DG Prev 3				
pdf	Ellen BOP Data - DG Prev 4				
pdf	Ellen BOP Data - DG Prev 5				
pdf	Ellen BOP Data - DG Prev 6				
pdf	Ellen Drill Spool Cert				
pdf	Ellen SG Prev 1				
pdf	Ellen SG Prev 2				
CONTACTS					
Name	Rebecca Altemus				
Company	Ompany Beta Operating Company, LLC				
Phone Number	832-408-8652				
E-mail Address	rebecca.altemus@amplifyenergy.com				
Contact Description					

CERTIFICATION: I certify that information submitted is complete and accurate to the best of my knowledge. I understand that making a false statement may subject me to careful the statement of the careful that making a false statement may subject me to careful the statement of t

Name and Title Date

Rebecca Alternus, Senior Staff Reservoir Eng 27-DEC-2024

PAPERWORK REDUCTION ACT OF 1995 (PRA) STATEMENT: The PRA (44 U.S.C. 3501 et seq. Requires us to inform you that we collect this information to obtain knowledge of equipment and procedures to be used in drilling operations. MMS uses the information to evaluate and approve or disapprove the adequacy of the equipment and/or procedures to safely perform the proposed drilling operation. Responses are mandatory (43 U.S.C. 1334). Proprietary data are covered under 30 CFR 250.196. An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB Control Number. Public reporting burden for this form is estimated to average 11/4 hours per response, including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding the burden estimate or any other aspect of this form to the Information Collection Clearance Officer, Mail Stop 4230, Minerals Management Service, 1849 C Street, N.W., Washington, DC 20240.

U.S. Department of the InteriorBureau of Safety and Environmental
Enforcement (BSEE)

Application for Permit to Modify (APM)

Lease P00301 Area LB Block 6488 Well Name A050 ST 01 BP 00 Type Development Application Status Approved Operator 03126 Beta Operating Company, LLC

Variances Requested for this Permit

U.S. Department of the InteriorBureau of Safety and Environmental
Enforcement (BSEE)

Application for Permit to Modify (APM)

Lease P00301 Area LB Block 6488 Well Name A050 ST 01 BP 00 Type Development Application Status Approved Operator 03126 Beta Operating Company, LLC

Existing Variances

No previously approved variances exist for this permit

U.S. Department of the InteriorBureau of Safety and Environmental Enforcement (BSEE)

Application for Permit to Modify (APM)

Lease P00301 Area LB Block 6488 Well Name A050 ST 01 BP 00 Type Development Application Status Approved Operator 03126 Beta Operating Company, LLC

Reviews

Review: APM - District Production Engineering Review

Sent: 03-JAN-25 Review Started: 03-JAN-25 Review Finished: 03-JAN-25

Info Adequate: Y

Review Remarks:

Review: BOP Control System Drawing Review

Sent: 03-JAN-25
Review Started: 03-JAN-25
Review Finished: 03-JAN-25
Info Adequate: Y

Review Remarks:

Review: Determination of NEPA Adequacy

Sent: 27-DEC-24
Review Started: 27-DEC-24
Review Finished: 27-DEC-24

Info Adequate: Y

Review Remarks: