Lease P00301	Area LB	Block 6488	Well Name	C008	ST 00	BP 00	Type	Development
Application St			perator 03126					
			-				2 7	-
Pay.gov		Agen	-		_	ay.gov	TD	
Amount: \$145	.00	Trac	king ID: EWL-	-APM-255	290 T	racking	TD: 2	7LU35CB
General Info	ormation							
API 043122011	L600	Approva	al Dt 13-MAR-	-2025		Approve	d By	Bethram Ofo
Submitted Dt 2	5-FEB-2025	Well St	tatus Complet	ed		Water D	epth	700
Surface Lease	P00301	Area	LB			Block		6488
Approval Comme	ents							
Conditions of 1. All operations terms and stip Operators (NTI any written in 2. A copy of t available to in 3. All pressur recorded on the the approved poressure. The	ions must boulations, Ls), the aphistructions this permit inspectors re-containing he daily oppermit, the	the regulati proved (revi or orders o (including upon request ng equipment erations rep equipment i	ions of 30 CF ised) Applica of the Distri all attachme during the must be tes port. If well in use must b	TR Part ation fo .ct Mana ents) mu permitt sted to . pressu	250, Not r Permit ger or i st be kep ed opera the appro res exce d at a m	ices to to Modi ts desig pt on lo tion. oved per ed the S inimum t	Lesse Ify (<i>P</i> gnee. catic cmitte SITP/M to the	ees and APM/RPM), and on and made ed pressure a MASP stated is e new observe
4. Notify the operations ANI proceed with t Permitting Sec	ge and, an Permitting) of any re chese opera ction Chief	RPM must be Section at quired BOP t tions until or their de	submitted to least 72 hou cests AND of an inspector esignee waive	docume ars in a any plu can ar es the w	nt the c dvance o g testing rive to itnessing	hange. f beginr g or tag witness	ning t gging.	these approve . You MUST NO
4. Notify the operations ANI proceed with t Permitting Sec 5. WAR reports	ge and, an Permitting O of any re chese opera ction Chief g are due n	RPM must be Section at quired BOP t tions until or their de	submitted to least 72 hou cests AND of an inspector esignee waive	docume ars in a any plu can ar es the w	nt the c dvance o g testing rive to itnessing	hange. f beginr g or tag witness	ning t gging.	these approve . You MUST NO
4. Notify the operations ANI proceed with t Permitting Sec 5. WAR reports Correction Nar	ge and, an Permitting O of any re Chese opera Stion Chief S are due n Crative	RPM must be Section at quired BOP t tions until or their de o later than	submitted to least 72 hou cests AND of an inspector esignee waive n noon each W	docume ars in a any plu can ar es the w	nt the c dvance o g testing rive to itnessing	hange. f beginr g or tag witness	ning t gging.	these approve . You MUST NO
4. Notify the operations ANI proceed with t Permitting Sec 5. WAR reports Correction Nar Permit Primary	ge and, an Permitting O of any re these opera tion Chief s are due n crative 7 Type Aban	RPM must be Section at quired BOP t tions until or their de o later than	submitted to least 72 hou cests AND of an inspector esignee waive n noon each W	docume ars in a any plu can ar es the w	nt the c dvance o g testing rive to itnessing	hange. f beginr g or tag witness	ning t gging.	these approve . You MUST NO
4. Notify the operations ANI proceed with t Permitting Sec 5. WAR reports Correction Nar Permit Primary Permit Subtype	ge and, an Permitting O of any re chese opera ction Chief s are due n crative y Type Aban a(s)	RPM must be Section at quired BOP t tions until or their de o later than donment Of W	submitted to least 72 hou cests AND of an inspector esignee waive n noon each W	docume ars in a any plu can ar es the w	nt the c dvance o g testing rive to itnessing	hange. f beginr g or tag witness	ning t gging.	these approve . You MUST NO
4. Notify the operations ANI proceed with t Permitting Sec 5. WAR reports Correction Nar Permit Primary Permit Subtype Plugback To S	ge and, an Permitting O of any re chese opera ction Chief s are due n crative 7 Type Aban e(s) Bidetrack/B	RPM must be Section at quired BOP t tions until or their de o later than donment Of W ypass	submitted to least 72 hou cests AND of an inspector esignee waive n noon each W	docume ars in a any plu can ar es the w	nt the c dvance o g testing rive to itnessing	hange. f beginr g or tag witness	ning t gging.	these approve . You MUST NO
4. Notify the operations AND proceed with t Permitting Sec 5. WAR reports Correction Nar Permit Primary Permit Subtype Plugback To S X Proposed o	ge and, an Permitting O of any re chese opera ction Chief s are due n crative y Type Aban c(s) Sidetrack/B pr Compl	RPM must be Section at quired BOP t tions until or their de o later than donment Of W	submitted to least 72 hou cests AND of an inspector esignee waive n noon each W	docume ars in a any plu can ar es the w	nt the c dvance o g testing rive to itnessing	hange. f beginr g or tag witness	ning t gging.	these approve . You MUST NO
4. Notify the operations AND proceed with t Permitting Sec 5. WAR reports Correction Nar Permit Primary Permit Subtype Plugback To S X Proposed o Operation Desc	ge and, an Permitting O of any re these opera tion Chief s are due n crative 7 Type Aban (s) Sidetrack/B or Compl cription	RPM must be Section at quired BOP t tions until or their de o later than donment Of W ypass eted Work	submitted to least 72 hou tests AND of an inspector esignee waive n noon each W Well Bore	o docume ars in a any plu can ar es the w Wednesda	nt the c dvance o g testing rive to itnessing	hange. f beginr g or tag witness	ning t gging.	these approve . You MUST NO
4. Notify the operations ANI proceed with t Permitting Sec 5. WAR reports Correction Nar Permit Primary Permit Subtype Plugback To S X Proposed o Operation Desc Workover to pl	ge and, an Permitting O of any re these opera stion Chief s are due n crative 7 Type Aban (s) Sidetrack/B or Compl cription Lugback wel	RPM must be Section at quired BOP t tions until or their de o later than donment Of W ypass eted Work	submitted to least 72 hou tests AND of an inspector esignee waive n noon each W Well Bore	o docume ars in a any plu can ar es the w Wednesda	nt the c dvance o g testing rive to itnessing	hange. f beginr g or tag witness	ning t gging.	these approve . You MUST NO
4. Notify the operations ANI proceed with t Permitting Sec 5. WAR reports Correction Nar Permit Primary Permit Subtype Plugback To S	ge and, an Permitting O of any re chese opera ction Chief s are due n crative r Type Aban (s) Sidetrack/B cr Compl cription Lugback wel crative	RPM must be Section at quired BOP t tions until or their de o later than donment Of W ypass eted Work lbore to pre	submitted to least 72 hou cests AND of an inspector esignee waive n noon each W Well Bore	docume ars in a any plu can ar es the w Wednesda	nt the cl dvance of g testing rive to itnessing y.	hange. f beginn g or tag witness g.	ning t gging.	these approve . You MUST NO
4. Notify the operations ANI proceed with t Permitting Sec 5. WAR reports Correction Nar Permit Primary Permit Subtype Plugback To S X Proposed o Operation Desc Workover to pl Procedural Nar This workover The BHA will k	ge and, an Permitting O of any re chese opera stion Chief s are due n crative 7 Type Aban (s) Sidetrack/B or Compl Cription Lugback wel crative will prepa	RPM must be Section at quired BOP t tions until or their de o later than donment Of W ypass eted Work lbore to pre re the curre nd a scraper	submitted to least 72 hou tests AND of an inspector esignee waive n noon each W Well Bore Pepare for sid ent wellbore c tool run.	docume ars in a any plu can ar es the w Wednesda detrack. to be s An inje	nt the cl dvance of g testing rive to itnessing y. 	hange. f beginn g or tag witness g. ed.	be pe	these approve . You MUST No testing OR th
4. Notify the operations AND proceed with t Permitting Sec 5. WAR reports Correction Nar Permit Primary Permit Subtype Plugback To S X Proposed o Operation Desc Workover to pl Procedural Nar This workover The BHA will h cement retaine retainer.	ge and, an Permitting O of any re chese opera ction Chief s are due n crative 7 Type Aban 6(s) Gidetrack/B or Compl Cription Lugback wel crative will prepa be pulled a er set. A	RPM must be Section at quired BOP t tions until or their de o later than donment Of W ypass eted Work lbore to pre re the curre nd a scraper	submitted to least 72 hou tests AND of an inspector esignee waive n noon each W Well Bore Pepare for sid ent wellbore c tool run.	docume ars in a any plu can ar es the w Wednesda detrack. to be s An inje	nt the cl dvance of g testing rive to itnessing y. 	hange. f beginn g or tag witness g. ed.	be pe	these approve . You MUST No testing OR th
4. Notify the operations AND proceed with t Permitting Sec 5. WAR reports Correction Nar Permit Primary Permit Subtype Plugback To S X Proposed o Operation Desc Workover to pl Procedural Nar This workover The BHA will h cement retaine retainer.	ge and, an Permitting O of any re chese opera stion Chief s are due n crative 7 Type Aban (s) Sidetrack/B or Compl Cription Lugback wel crative will prepa be pulled a er set. A	RPM must be Section at quired BOP t tions until or their de o later than donment Of W ypass eted Work lbore to pre re the curre nd a scraper 16 bbl cemer	submitted to least 72 hou tests AND of an inspector esignee waive n noon each W Well Bore Pepare for sid ent wellbore c tool run.	docume ars in a any plu can ar es the w Wednesda detrack. to be s An inje	nt the cl dvance of g testing rive to itnessing y. 	hange. f beginn g or tag witness g. ed.	be pe	these approve . You MUST No testing OR th
4. Notify the operations AND proceed with the Permitting Sectors 5. WAR reports Correction Nar Permit Primary Permit Subtype Plugback To S X Proposed of Operation Desc Workover to pl Procedural Nar This workover The BHA will he cement retained retainer. Subsurface Saf	ge and, an Permitting O of any re chese opera stion Chief s are due n crative 7 Type Aban (s) Sidetrack/B or Compl Cription Lugback wel crative will prepa be pulled a er set. A Sety Valve Led SCSSV	RPM must be Section at quired BOP t tions until or their de o later than donment Of W ypass eted Work lbore to pre re the curre nd a scraper 16 bbl cemen	submitted to least 72 hou tests AND of an inspector esignee waive n noon each W Well Bore Pepare for sid ent wellbore c tool run.	docume ars in a any plu can ar es the w Wednesda detrack. to be s An inje	nt the cl dvance of g testing rive to itnessing y. 	hange. f beginn g or tag witness g. ed.	be pe	these approve . You MUST No testing OR th
4. Notify the operations AND proceed with t Permitting Sec 5. WAR reports Correction Nar Permit Primary Permit Subtype Plugback To S X Proposed o Operation Desc Workover to pl Procedural Nar This workover The BHA will k cement retainer retainer. Subsurface Saf Type Instal Feet below	ge and, an Permitting O of any re chese opera stion Chief s are due n crative 7 Type Aban (s) Sidetrack/B or Compl Cription Lugback wel crative will prepa be pulled a er set. A cety Valve Lled SCSSV Mudline 22	RPM must be Section at quired BOP t tions until or their de o later than donment Of W ypass eted Work lbore to pre re the curre nd a scraper 16 bbl cemer.	submitted to least 72 hou tests AND of an inspector esignee waive n noon each W Well Bore Pepare for sid ent wellbore c tool run.	b docume irs in a any plu c can ar es the w Mednesda detrack. to be s An inje linear	nt the cl dvance of g testing rive to itnessing y. 	hange. f beginn g or tag witness g. ed.	be pe	these approve . You MUST No testing OR th
4. Notify the operations AND proceed with t Permitting Sec 5. WAR reports Correction Nar Permit Primary Permit Subtype Plugback To S X Proposed o Operation Desc Workover to pl Procedural Nar This workover The BHA will k cement retainer retainer. Subsurface Saf Type Instal Feet below	ge and, an Permitting O of any re chese opera ction Chief s are due n crative y Type Aban (s) Sidetrack/B or Compl Cription Lugback wel crative will prepa be pulled a er set. A Cety Valve Lled SCSSV Mudline 22 ticipated S	RPM must be Section at quired BOP t tions until or their de o later than donment Of W ypass eted Work lbore to pre re the curre nd a scraper 16 bbl cemer 7 21 Surface Pres	submitted to least 72 hou cests AND of an inspector esignee waive n noon each W Well Bore epare for sid ent wellbore c tool run. ht plug (200	b docume irs in a any plu c can ar es the w Mednesda detrack. to be s An inje linear	nt the cl dvance of g testing rive to itnessing y. 	hange. f beginn g or tag witness g. ed.	be pe	these approve . You MUST No testing OR th

13-MAR-2025 12:12:37 PM

Lease I	200301 Area LB Block 6488 Wel	1 Name CO	08 ST 00	BP 00 T	ype Dev	velopment
Applica	ation Status Approved Operato	or 03126 Be	ta Operating	Company,	LLC	
Shu	t-In Wellhead Pressure (psi)					
Rig In	nformation					
Name BETA		Type PLATFORM	ABS	Date	Coas	t Guard Date
Blowo	ut Preventers		Test	Pressure		
Preve	nter Size Workin	ng Pressure	e Low	High		
Rams	2x5 5000		250	1250		
Annula	ar 5000		250	1250		
Date Co	ommencing Work (mm/dd/yyyy) 01-APR-	2025				
Estimat	ted duration of the operation (days) 3				
Verba	l Approval Information					
	Official	Date (mm/	dd/yyyy)			
Quest						
	r Question		Response Te	xt		
A	Is H2S present in the well? If yes, then comment on the inclusion of a Contingency Plan for this operation.	NO				
В	Is this proposed operation the only lease holding activity for the subject lease? If yes, then comment.	NO				
С	Will all wells in the well bay and related production equipment be shut-in when moving on to or off of an offshore platform, or from well to well on the platform? If not, please explain.	N/A				
D	If sands are to be commingled for this completion, has approval been obtained?	N/A				
Е	Will the completed interval be within 500 feet of a block line? If yes, then comment.	NO				
F	For permanent abandonment, will casings be cut 15 feet below the mudline? If no, then comment.	N/A				
G	Will you ensure well-control fluids, equipment, and operations be designed, utilized, maintained, and/or tested as necessary to control the well in foreseeable conditions and circumstances, including subfreezing conditions?	YES				

Enforcement (BSEE)

Application for Permit to Modify (APM)

		.1 Name CO	
		or 03126 Be	ta Operating Company, LLC
	ions er Question	Bogbobgo	Response Text
H	Will digital BOP testing be used for this operation? If "yes", state which version in the comment box?	NO	
I	Is this APM being submitted to remediate sustained casing pressure (SCP)? If "yes," please specify annulus in the comment box. If you have been given a departure/denial for SCP, include in the attachments.	NO	
Ţ	Are you pulling tubulars and/or casing with a crane? If "YES" have documentation on how you will verify the load is free per API RP 2D. This documentation must be maintained by the lessee at the lessee's field office.	NO	
ζ	Will the proposed operation be covered by an EPA Discharge Permit? (Please provide permit number comments for this question).	N/A	
L	Will you be using multiple size work string/ tubing/coil tubing/snubbing/wireline? If yes, attach a list of all sizes to be used including the size, weight, and grade.	NO	
М	For both surface and subsea operations, are you utilizing a dynamically positioned vessel and/or non-bottom supported vessel at any time during this operation?	NO	
	A	TACHMENT	'S
ile T df	ype File Description Proposed Wellbore	Schematic	
df	Current Wellbore S		
df	Well C-08 CER		
df	Workover Procedure		
df	Professional Engine	eer Letter	
df	Deviation Survey		
df	Eureka BOP Data 4	of 4	
df	Eureka BOP Data 2	-	
df	Eureka BOP Data 3		

Lease P00301 A	rea LB Block	6488 We	ell Name	C008	ST	00	BP 0	0	Type Development
Application Stat	us Approved	Operat	cor 03126	Beta	Opera	ting	Comp	any	, LLC
pdf	Eureka	BOP Data 1	of 4						
			CONTAC	TS					
Name	Rebecca	Altemus							
Company	Beta Op	erating Co	mpany, L	LC					
Phone Number	832-408	8-8652							
E-mail Address	rebecca	.altemus@a	mplifyen	ergy.	com				
Contact Descript	ion								

CERTIFICATION: I certify that information submitted is complete and accurate to the best of my knowledge. I understand that making a false statement may subject me to ca

Date

Name and Title

Rebecca Alternus, Senior Staff Reservoir Eng

10-MAR-2025

PAPERWORK REDUCTION ACT OF 1995 (PRA) STATEMENT: The PRA (44 U.S.C. 3501 et seq. Requires us to inform you that we collect this information to obtain knowledge of equipment and procedures to be used in drilling operations. MMS uses the information to evaluate and approve or disapprove the adequacy of the equipment and/or procedures to safely perform the proposed drilling operation. Responses are mandatory (43 U.S.C. 1334). Proprietary data are covered under 30 CFR 250.196. An agency may not conduct or sponsor, and a person is not required to respond to, a collection of information unless it displays a currently valid OMB Control Number. Public reporting burden for this form is estimated to average 11/4 hours per response, including the time for reviewing instructions, gathering and maintaining data, and completing and reviewing the form. Direct comments regarding the burden estimate or any other aspect of this form to the Information Collection Clearance Officer, Mail Stop 4230, Minerals Management Service, 1849 C Street, N.W., Washington, DC 20240.

Lease P00301	Area LB	Block 6	5488 Well	Name	C008	ST 00	BP 00	Type Development
Application Sta	atus Appro	oved	Operator	03126	Beta	Operating	Company	, LLC

Variances Requested for this Permit

Lease P00301Area LBBlock 6488Well NameC008ST 00BP 00Type DevelopmentApplication Status ApprovedOperator 03126Beta Operating Company, LLC

Existing Variances

No previously approved variances exist for this permit

Lease P00301	Area LB	Block	6488 We	ll Name	C008	ST 00	BP 00	Type Development
Application Sta	atus Appro	oved	Operat	or 03126	Beta	Operating	Company	, LLC

	Reviews
Review:	APM - District Production Engineering Review
Sent:	26-FEB-25
Review Started:	26-FEB-25
Review Finished:	11-MAR-25
Info Adequate:	Y
Review Remarks:	
Review:	BOP Control System Drawing Review
Sent:	26-FEB-25
Review Started:	26-FEB-25
Review Finished:	11-MAR-25
Info Adequate:	Y
Review Remarks:	
Review:	Determination of NEPA Adequacy
Sent:	05-MAR-25
Review Started:	06-MAR-25
Review Finished:	11-MAR-25
Info Adequate:	Y
Review Remarks:	
Review:	District Drilling Engineering Review
Sent:	12-MAR-25
Review Started:	12-MAR-25
Review Finished:	12-MAR-25
Info Adequate:	Y
Review Remarks:	